Index for Volume 75

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses. Pages of errata are in italic type.

Abawi, G. S., 217
Abbas, H. K., 1283
Abdalla, M. Y., 1383
Abdalla, O. A., 1311, 1349
Abdelshife, S. A., 1362
Abney, T. S., 797, 965, 966, 969
Abstracts: annual meeting, 1277; Caribbean division, 1175; North Central division, 962; Potomac division, 623; Southern division, 498
Acalymma vittatum, on muskmelon, Fusarium wilt affected by, 209
Acklin, W., 1302, 1303
Aconurella prolixa, Bermuda grass etched-line virus vector, 1258, (1262)
Acremonium coenophialum, on fescue, infection using callus, 1286
Adams, G. C., 1385
Adams, P. B., 957
Adams, S. S., 962, 1343
Adaskaveg, J. E., 1322, 1323
Adelman, M. J., 623
Adkins, C. R., 1283
Aebig, J., 1353
Aerobiology, bean rust urediniospores, escape in field canopy, 1232
Afanador, L., 1176
Agrobacterium tumefaciens, auxin and cytokinin independence genes, analysis, 1375
Aharonson, N., 763
Ahmad, J. S., 1302
Aho, P. E., 1294
Akem, C. M., 1327
Akius, M., 1352
Albaugh, D. A., 1377
Alberga, A. H., 1321
Albert, F. G., 1372
Alderman, S. C., 808, 1298
Aldwinckle, H. S., 1347
Alexander, H. M., 449, 1371
Alexander, J. D., 1323
Alexander, S. A., 625, 627, 1337, 1368
Alfalfa
—anthracnose of, effects: of inoculum and temperature, 593; water, 1366; on yield, 1299
—charcoal rot and crown rot, in Florida, 503
—*Colletotrichum trifolii* on, resistance evaluated on cotyledons, 1316
—damping-off, factors affecting, 1384
—downy mildew of, host-parasite genetics, 119
—feeder rootlets, fungal infection, 1112
—*Fusarium roseum*, wounding effects, 920
—*Hoplolaimus galeatus* on, histopathology, 297, (298-304)
—leaf spot: disease progression, 1342; fungicides and yield relation, 1346; severity estimates, 504; yield effect, 1299
—*Peronospora trifoliorum* on, quantitative inheritance, 717
—*Phytophthora megasperma* on: cultivar interaction and variability, 390; metalaxyl-insensitive isolate, 1387, (1389)
—Phytophthora root rot: competitive colonization in soil, 1393; metalaxyl response, 1345
—pollen infected by *Verticillium*, 859, (860-864)
—Sclerotinia crown and stem rot, losses, 629
—*Verticillium albo-atrum* of, survival in insect feces, 206
—Verticillium wilt of: histopathology, 1304; seed contamination, 482, (483-487)
Alfalfa mosaic virus: hypersensitive reaction in clones, 1311; monoclonal antibodies specific to, properties, 1357
Al-Hajj, H. A., 1291
Al-Heeti, M. B., 1327
Ali, F. H., 962
Al-Jalili, A. S., 1336
Alldredge, J. R., 98, 557
Allen, C., 628, 1326
Allen, E. B., 1279, 1284
Allen, M. F., 1284
Almond, lignification and suberization, temperature effect, *Phytophthora syringae*, 1313
Al-Musa, A. M., 1291
Aloni, H., 1324
Alternaria spp., sporulation, CO_2 effect, 1297
A. alternata: on mango, antifungal compound from, 1302; rose blossom blight from, 499
A. brassicae, phytotoxins from, properties, 1298
A. citri, toxins: host specificity and bioassay, 1314; structure, 1314
A. helianthi, on sunflower, epidemiology and yield losses, 1151
A. solani
—on potato: germination and infection, acid rain effect, 1318; ozone effect, 529
—spore mortality, ultraviolet effect, 510
A. tagetica, light effect on behavior, 366
Altman, J., 1348
Alvarez, A. M., 722, 1289, 1352, 1382
Amador, J., 1175
Amador, R., 1175
American Phytopathological Society
—abstracts (see Abstracts)
—annual report, 8
—awards: CIBA-Geigy, 38; Ruth Allen, 37
—fellows, 32
—officers and committees, 30
—presidential address, R. J. Cook, 25
Amerson, H. V., 628, 1336
Amling, H. J., 1277
Ammar, E. D., 84, 1167, 1324
Ammati, M., 1336
Ammon, V., 1368
Amoeba, vampyrellid, *Cochliobolus sativus* conidia perforated by, 243
Anastrepha ludens, on citrus, ethylene dibromide for, plant toxicity, 616
Andersen, G. L., 1321, 1360
Andersen, K., 498, 1279
Anderson, A. J., 989, 992, 1283, 1372, 1374
Anderson, D. M., 104
Anderson, N. A., 962
Anderson, T. R., 1281
Andres, M. W., 1278
Andrews, J. H., 1320, 1343
Andropogon virginicus, *Myriogenospora atramentosa* on, carbohydrate translocation, 407, (409)
Anigozanthos spp., Alternaria leaf spot of, 1382
Anthurium, bacterial blight of, control, 1308
Antitranspirants, film-forming, foliar disease control, 1384
Antonopoulos, A. A., 962, 967
Anzalone, L., Jr., 1371
Appel, D. N., 498, 502, 1279
Apple
—fungal community development on leaves, 1319
—graft union histology, virus association, 347, (348-350)
—growth promoting bacteria, phenotypic traits, 1291
—leaf antigens, tomato ringspot virus antisera reactions, 325
—nematodes of, reduction with carbofuran, carbosulfan, and phenamiphos, 1304
—*Penicillium* decay of, control, 74
—*Penicillium expansum* on, control strategy, 877
—postharvest decay, cation effect, 1373
—powdery mildew of, leaf maturity and fungicide effect, 130
—scab: fungicides for, sterol-inhibiting, 1098; geotropism and epidemiology, 856, (857); polymer films for control, 966, 967
—sooty blotch and flyspeck, humidity relation, 628
—tomato ringspot virus of, union necrosis and decline, 1312
—union necrosis and decline, histology, 342, (343-346)
—*Xanthomonas campestris* on, unusual strain of, 438, (439, 440, 442, 443)
Apple, J. D., 1370
Apple mosaic virus, Prunus necrotic ringspot virus reactivity, monoclonal antibodies, 1353
Aragaki, M., 1363, 1366, 1375, 1382
Araya, C., 1175
Araya, R., 1179
Arigoni, D., 1302, 1303
Armbrust, D. L., 1378
Armen, J., 1361
Armillaria spp., rhizomorph of, morphogenesis, 1297
A. mellea
—on lodgepole pine seedlings, water potential changes, 1339
—on pine, pathogenic isolates in Alberta, 1278
Armour, S. L., 1334, 1335
Arnett, J. D., 1295
Asadi, P., 1299
Ascochyta fabae, on bean, resistance components, 962
Ash
—stem decay, in North Dakota, 1367
—wound response of bark, periderm formation, 1191
Ash, white, decline of, ash yellows role, 355, (357-359)
Ashworth, L. J., Jr., 1084, 1091
Asparagus
—slow rusting in, 1317
—stem rot and miner association, 1188, (1189)
Asparagus virus 2, pollen role in spread, 1323
Aspen
—Armillaria root rot, rotation effect, 1321
—elk damage and *Cytospora*, in Michigan, 1294
—sludge fertilization, fungi and elk relation in Michigan, 1294
Aspergillus flavus, on corn
—kernels, inoculation technique, 1330
—silks, autoradiography, 1369
A. glaucus
—on corn kernels in storage, damage effect, 1137
—in stored grain, inhibition of, 1378
Aster yellows
—agent, detection of, monoclonal and polyclonal antibodies, 1350
—disease, California strains, leafhopper survival, 1351
Athelia bombacina, selective medium for, 1343
Athow, K. L., 690, 969
Atkinson, M. M., 1270, 1373
Avena sterilis, crown rust of, field resistance transferred to oats, 314
Averre, C. W., 1362

Avocado
—metalaxyl use, biodegradation in soil, 135
—*Phytophthora cinnamomi* on, integrated control in California, 1345
—Phytophthora root rot of, resistance to, 230
Awuah, R. T., 1315, 1329, 1347
Axelrood, P. E., 1281
Aycock, H. S., 628
Ayer, W. A., 1374
Aylor, D. E., 510, 1232
Azad, H. R., 1301
Azalea (see also Rhododendron)
—leaf and stem rot, fogging and fungus effect, 1305
—Phytophthora dieback, spatial pattern, in North Carolina, 1382
Azevedo, M. D., 1331

Babadoost, M., 1299
Baccharis spp., trichothecenes in, natural occurrence, 623
Bacillus circulans, on date palm, pathogenicity, 1289
B. subtilis, antagonism to vascular wilt pathogens, 963
Backman, P. A., 1175, 1176
Bacon, C. W., 407, 501, 950
Bacteria
—bioluminescence for detection, in plants, 1288
—copper tolerant pathogens, Georgia and Florida survey, 1288
—epiphytic, model, 505
—hypersensitive reaction, lipid peroxidation, 964
—monoclonal antibodies, identification by, 722
—on roots, bioassay for detection, 254
—soft rot, polyacrylamide gel electrophoresis for differentiation, 549
—xylem, strain comparisons, 713
Bahme, J., 1327
Bahrni, Z., 1358
Bailey, A. M., 135, 1345
Bailey, J. E., 626, 1341
Bains, P. S., 1298
Baker, C. J., 625, 1372
Baker, R., 1047, 1053, 1302, 1326, 1333
Balansia epichloe, on grasses, parasitism, 950, (953-955)
Ball, E. M., 1132
Banana
—black sigatoka disease, epidemiology, 1175
—nematodes of, in Costa Rica, 1176
Banttari, E. E., 1289
Barak, R., 458
Barash, I., 1080, 1332
Barden, K. A., 1359
Bar-Joseph, M., 195
Barker, D., 492
Barker, K. R., 159, 247, 1313
Barley
—common root rot of, relation, 966
—disease and weed effects on, yield component, 1299
—kernel discoloration, evaluation, 1365
—net blotch, genotype screening, 603
—root rot, winter survival and yield, 1039
—wheat and rye stem rust of, resistance to, 1108
Barley stripe mosaic virus
—ELISA for detection, in Montana, 1359
—isozyme patterns, 1292
—nucleotide sequence, 1334
—sequence analysis of RNAs, 1335
Barley yellow dwarf virus
—antibodies and aphid transmission, 914
—aphid transmission, 1348
—on cereals, resistance index, 212
—on oats, aphid relation, 1358
—tolerant and resistant isolines, 1354
—transcellular transport, 292, (293, 295)
—virions and RNA from, purification, 1356
Barmore, C. R., 446
Barnett, O W., 503, 1299, 1318
Barrows-Broaddus, J., 1104, 1368
Barry, G., 1381
Barton-Willis, P., 235
Bartz, J. A., 1285
Bashan, Y., 940
Bassett, E. N., 1333
Basswood, wound response of bark, periderm formation, 1191
Baudoin, A. B. A. M., 174, 623, 624
Bauer, A., 1295
Bauman, L. F., 1137
Baumer, J. S., 1345
Bautista, R., 79
Baxter, L. W., Jr., 1306
Bayles, M. B., 515
Bays, D. C., 1350
Bazak, M., 877
Beagle-Ristaino, J. E., 560, 729
Bean (see also *Phaseolus vulgaris*)
—emergence induced by bacteria, 1385
—phaseolotoxin resistant plants, meristem culture, 1316
—root rot: herbicide and yield relations, 1296; infrared thermometry for detection, 1281; *Rhizobium* effect, 1301
—rust of, resistance inheritance, 1310
—white mold disease, resistance, field measurement, 1296
Bean common mosaic virus
—detection in seeds, enzyme-linked assay, 1352
—monoclonal antibodies against, broad spectrum, 1352
Bean, G. A., 623, 1364, 1378
Bean pod mottle virus, on soybean
—transmission, 310
—cultivar response, phenotypic, 305
Bean yellow mosaic virus, pea mosaic isolate, purification, 499
Beck, D. L., 1334
Beckman, P. M., 1331
Bedker, P. J., 1293, 1338
Beer, S. V., 1290
Beet leafhopper transmitted virescence agent, characterization, 1380
Beet western yellows virus, on potato, leafroll virus relation, 1292
Bell, D. K., 1332
Belmar, S. B., 498, 1340
Ben-Arie, R., 877
Bender, C. L., 1325
Benedict, A. A., 722, 1289, 1352
Benner, C. P., 498
Bennett, J. H., 472
Benson, D. M., 1004, 1010, 1382
Bentgrass, nematodes of, occurrence and control in Kansas, 1384
Ben-Yephet, Y., 403, 763, 1383
Berbee, J. G., 1364
Beretta, M. J. G., 1372
Berg, C. C., 1340
Bergdahl, D. R., 1294
Berger, R. D., 792, 1280
Bergeson, G. B., 654
Berggren, G. T., 498
Bergquist, R. R., 1310
Bergstrom, G. C., 1295
Bermuda grass
—crop management and disease control, 1286
—Cynodon chlorotic streak virus of, new in Mediterranean area, 1094, (1095-1097)
—root-knot nematode on, resistance, 1305
Bermuda grass etched-line virus, properties, other virus relations, 1258, (1259, 1260, 1262)
Bernard, R. L., 1309, 1331
Bernier, C. C., 962
Bertoni, G., 1381
Bertrand, D. E., 1305
Bertrand, P. F., 1314, 1369
Beute, M. K., 1298, 1336
Bhandal, I. S., 1337
Biddle, J. A., 962, 1332
Biggs, A. R., 624, 1191
Bijaisoradat, M., 351, 498
Biological control (see also Suppressive soil)
—alginate-clay matrix for agent encapsulation, 774
—application and theory, 25
—*Arthrobotrys amerospora* on *Heterodera glycines*, 502
—bacterial antagonism on roots, bioassay, 254
—*Cercospora rodmanii* on waterhyacinth, efficacy, 1263
—*Dichotomophthora portulacae* for purslane, 1328
—*Endothia parasitica*, virulent and hypovirulent forms, 533
—Fusarium wilt of aster, soilborne microorganisms, 1344
—*Gliocladium*: and *Trichoderma* for *Rhizoctonia*, on potato, 560; for Rhizoctonia rot of snapdragon, chrysanthemum, and poinsettia, 1307
—mycoparasites of corn stalk rot fungi, 1201, (1202, 1205)
—pome fruit, postharvest diseases, 1301
—powdery mildew by *Ampelomyces quisqualis*, 1301
—*Puccinia canaliculata* for weed control, 498
—*Rhizoctonia*: mycoparasitism by *Trichoderma* and *Gliocladium* in soil, 627; parasitized by *Gliocladium*, 1328
—Rhizoctonia root rot, avirulent fungi for, 499
—*Rhizoctonia solani* suppression by nonpathogenic isolate, 1080, (1082)
—screening for agents, criteria, 1344
—silverleaf nightshade by *Orrina phyllobia*, 1301
—soil suppressive to *Phytophthora* on tomato, 683
—take-all, suppressive soil, wheat, 557
—*Trichoderma* antagonistic to *Macrophomina*, 499
—*Trichoderma* and *Gliocladium*: proliferation in soil and rhizosphere, 729; to *Rhizoctonia* damping-off, 812
—*Trichoderma viride*, population dynamics, 115
Bioluminescence, bacterial populations monitored in plant by, 1288
Biomass harvesting technology, tree damage from thinning, 1366
Bipolaris maydis
—on corn, inbred resistance, temperature and illuminance effect, 274
—dehydrogenases in, glucose effect, 1298
—race O, resistance inheritance in maize, 1195
—race T: ammonium accumulation, 1375; ammonium production and sporulation, 138; L-aspartate presence, 962
B. sorokiniana
—on barley and wheat, winter survival and yield, 1039
—on wheat, freezing injury interaction, 845
B. victoriae, conidial exudation, soil factor, 1282
Birch, R. G., 1313
Bird, L. S., 1344
Bischoff, T. W., 138, 962, 1298, 1375
Bissonnette, G. K., 1368
Bitterlin, M. W., 1293
Bitton, S., 1383
Bjarko, M. E., 1317
Black, L. L., 500, 503, 1346, 1362
Blake, J. H., 498
Blaker, N. S., 270
Blakeslee, G. M., 1279
Blanchette, R. A., 1293, 1323, 1338
Blanco, M. C., 1175
Bledsoe, A. M., 1329
Bloomfield, P., 1359

Bloss, H. E., 1283
Blueberry, flower and shoot blight of, in Georgia, 1314
Blueberry leaf mottle virus, nematode vector association, lack of, 1324
Blueberry mosaic virus, particle association, 1355
Blueberry shoestring virus, aphid vector: acquisition and transmission, 709; field transmission, 1217
Blum, A., 226
Boatwright, G. O., 936
Bockus, W. W., 686, 1364, 1369
Boethel, D. J., 1284
Bolaños, J. I., 1175
Boldberg, K.-B., 1357
Bond, W. P., 1362
Bonde, M. R., 122, 625, 627, 1309, 1339, 1365, 1374
Bonman, J. M., 1368
Boratynski, T. N., 1339
Borazjani, A., 1419
Bostock, R. M., 1277, 1297, 1312, 1313, 1369, 1374
Botryosphaeria dothidea
—on blackberry, infection, 1382
—on peach, gummosis, 1374
—on rhododendron, pathogenicity and fungicidal control, 630
Botrytis cinerea
—on grape berry: dot-blot hybridization for detection, 1315; surfactant and wax effect, 1329
—on tomato, suppression with fungicides, 1329
B. squamosa, on onion: dew period interruptions and infection, 808; dry period effect, 963
Bowen, K. L., 1346
Bower, L. A., 1330
Bowers, J. H., 1318
Bowman, D. T., 1310
Boyce, A. M., 253
Boyetchko, S. M., 1365
Boyette, C. D., 183
Brackin, J., 1381
Brakke, M. K., 661, 1356, 1357
Brandenburg, L. J., 1277
Brandon, D. M., 1365
Brannigan, M. D., 899, 1373
Brassaia actinophylla, foliar blight and damping-off, 1382
Braun, E. J., 962
Brenes G., O. E., 1176
Brenneman, T. B., 623
Breth, D. I., 623
Bridgmon, G. H., 379
Briskin, D. P., 1372
Bristow, P. R., 1285
Britton, K. O., 1376
Brlansky, R. H., 145, 1311, 1312
Broad bean wilt virus, Jordanian isolate, microscopy, 1291
Broccoli, clubroot of, calcium, magnesium, and pH effect, 670
Brodie, B. B., 1305
Brome mosaic virus, on corn, pathogenicity, 965
Bronson, C. R., 1318, 1369
Brooks, J. L., 625
Broscious, S. C., 538, 1299, 1346
Browder, L. E., 573, 963, 1376
Brown, L. G., 1306
Brown, M. F., 963
Brown, W. M., Jr., 1296
Browne, G. T., 1346
Brownell, K. H., 53, 58
Browning, J. A., 607
Bruck, R. I., 499, 501, 996, 1004, 1010, 1277, 1338, 1339
Bruckart, W. L., 623
Bruening, G., 1334, 1377
Bruhn, J. A., 1307
Buchholz, W. G., 1376
Buchner, V., 1303
Buenaflor, G., 79
Bugbee, W. M., 1377, 1379
Bullock, B., 1375
Buonassisi, A. J., 1301
Burdon, J. J., 907, 1068
Burhop, L. M., 1357
Burk, T. E., 624
Burleigh, J. R., 1299, 1341
Burnette, D. C., 1195, 1346
Burr, T. J., 1290, 1291
Bursaphelenchus xylophilus
—on pines: beetle association in Wisconsin, 1293; in Ontario, 1338
—on Scots pine, pathogenicity, 1338
Burstein, Y., 1303
Burton, G. W., 504, 1305
Bush, L. P., 1286
Buss, G. R., 628
Butler, E. E., 1333
Buzayan, J. M., 1334
Buzzell, R. I., 371
Cabbage
—black rot, monoclonal antibodies for identification, 1288
—yellows of, solarization and residue effect, 1291
Cacao, *Monilia roreri* on, resistance: cultivar, 1176; factors, 1178; field, 1177
Caesar, A. J., 1290, 1291
Cai, S. H., 1356
Calavan, E. C., 253
Calloway, M. B., 498
Calvert, D. V., 1369, 1378
Cameron, H. R., 1311, 1323
Campa, H., III, 1294
Campana, R. J., 624, 626
Campbell, C. L., 501, 504, 1277, 1342, 1349, 1369, 1376
Campbell, R. N., 665, 670, 875
Campbell, S. D., 1345
Canaday, C. H., 966, 1316
Cañez, V. M., Jr., 1329
Canola, leaf epicuticular wax, ultrastructure, 1377
Cantone, F. A., 1137
Capsicum spp. (see also Pepper)
—tobacco etch virus on, resistant genotypes, 1310
Cardamom, mosaic virus of, in Guatemala, 1179
Cardenas, M., 1304
Cardoso, J. E., 499
Carley, H. E., 1307
Carling, D. E., 1333
Carlson, E., 1362
Carlson, R. R., 1376
Carnation etched ring virus, hybridoma secreting antibodies reactive to, 778
Carnation ringspot virus, aggregation, factors, 467
Caron, M., 1364
Carrington, J. C., 1334
Carroll, T. W., 1354, 1359
Carson, M. L., 1151
Cartwright, R. D., 1361
Casale, W. L., 1375
Casciano, D. H., 1296
Cassava common mosaic virus, on chaya, susceptibility to, 1180
Cassel, D. K., 1283
Castaño Z., J., 1176
Castellanos, G., 1176
Cavenaugh, K. J., 1297
Cavileer, T. D., 1344
Celery
—Fusarium yellows: crop rotation and flooding effect, 1329; mineral nutrition, 40
—generation, somaclonal variation, disease relation, 967
—root cell wall, deposit and *Fusarium* infection, 1315
Cephalosporium gramineum, on wheat, soil pH effect, 1296
Ceratitis capitata, on citrus, ethylene dibromide for, plant toxicity, 616
Ceratocystis fagacearum
—nitidulids: in Texas, 1279; as vectors, 498
—on oak: compartmentalization, 1367; seasonal susceptibility, 502
C. fimbriata, on almond, histopathology, 1374
C. ulmi
—aggressiveness, distribution and stability, 626
—benzimidazole-tolerant strains, competitiveness, 1308
Cercospora spp., on soybean, seed quality and environment effect, 797
C. arachidicola, conidial germination, temperature and moisture effect, 1298
C. asparagi, aerobiology and overwintering, 1362
C. beticola, fungicide resistance, model system, 625
C. kikuchii on soybean: inoculum production, 183; seed infection, 966
C. nicotianae, protoplasts of, cercosporin resistance, 1298
C. oryzae
—races in southern USA, 1354
—on rice, resistance, 503
C. rhapisicola, on Rhapis palm, leaf spot, 1307
C. rodmanii, on waterhyacinth, biocontrol efficacy, 1263
C. sojina on soybean seed
—histopathology, 185, (186-188)
—mixed fungal infection, histopathology, 489, (490)
C. zeae-maydis
—airborne conidia of, tillage effect, 1340
—on corn, resistance, cercosporin, 625
Cercosporidium personatum, on peanut, yield loss, 502
Cereal, ectotrophic fungus of, influence and temperature relation, 1290
Chamswarng, C., 821
Chanakira, F. A., 502
Chandler, J. L., 1314
Chandrasekharam, V., 1278
Chaney, W. G., 709
Chang, C. A., 499
Chang, C. J., 499, 1381
Chang, S. H., 1354
Chao, W. L., 1360
Chapman, G. W., Jr., 142
Chapman, H. D., 253
Chappelka, A. H., 624
Charudattan, R., 1263, 1327
Chase, A. R., 501
Chavarro, A., 1288
Chaves, G., 1178
Chaves, O., 1177
Chellemi, D. O., 1369
Chen, M. M., 1322, 1367
Chen, T. A., 297, 848, 1350, 1351
Chen, W., 1361
Cherry
—necrotic rusty mottle of, reduction in spread, 1311
—Phytophthora root and crown rots, soil water matric potential, 648, (650), 1451, (1455)
—*Phytophthora* spp. of, pathogenicity and virulence, 221, (222, 224)
—wound response of bark, periderm formation, 1191
Cherry leafroll virus, on walnut, serological detection, 48
Chessin, M., 1292
Chestnut
—blight of, cytoplasmic debilitating strain, 170, (172), 1405, (1411)
—*Endothia* strains on, dissemination, 533, (534)

—European, blight of, hypovirulence and strain characteristics, 151
—wound response of bark, periderm formation, 1191
Chet, I., 458, 1297, 1300
Chevone, B. I., 624, 629, 679
Chickpea
—*Ascochyta rabiei* of, chemical control, 1308
—viruses of, in Idaho and Washington, 1310
—wilt and root rot complex, in Spain, 1146
Childress, A. M., 624, 1324
Cho, J. J., 1287
Chong, J., 1303
Chrysalidocarpus lutescens, Phytophthora blight, 1382
Chrysanthemum
—foliar necrosis, hydroponic and tetracycline, 1306
—Fusarium wilt of, *Trichoderma* as biocontrol, 115
—Phytophthora root rot, heat stress effect, 1306
—*Trichoderma* effect on rooting of cuttings, 1333
Chrysomyxa weirii, on blue spruce, sporulation relation and infection, 1294
Chun, W., 1325
Churchville, D. C., 553
Cishahayo, D., 1308
Citron, exocortis disease of, unique RNA, 946
Citrus
—bacterial canker, plasmids, 524
—blight of, tillage treatments, 1369
—blights and decline diseases of, virus comparison, xylem occlusions, 145, (146-149)
—decline of, symptoms, 1372
—epiphytic bacteria of, factors affecting, 1321
—ethylene dibromide fumigation, phytotoxic response, 616
—*Fusarium solani* on, cankers and weather relation, 1383
—methyl bromide fumigation, phytotoxicity, 1285
—mycorrhizal fungi on, Florida, 1283
—viruses of, xylem occlusions in, 145, (146-149)
—xylem plugging and water flow, decline, 1312
Citrus aurantifolia
—bacteriosis of, hosts in Mexico, 1179
—bacteriosis and anthracnose on, in Mexico, 1319
Citrus exocortis viroid, on citron: unique RNA, 946; viruslike RNAs, 1358
Citrus huanglungbin agent, dodder transmission to periwinkle, 1324
Citrus tristeza virus
—genome size, purification method, 195
—serological titer on hosts, 1311
Citrus viruses, agarose gel electrophoresis for comparison, 1312
Civerolo, E. L., 438, 524, 1060, 1179, 1328, 1352, 1373, 1381
Cladosporium carygenum
—growth inhibition by tannin and isoquercitrin from pecan, 1337
—on pecan: infection factors, 190; resistance, juglone relation, 1419; wet period effect, 500
C. fulvum, on tomato, specific elicitors, 695
Claflin, L. E., 1360
Clark, C. A., 499, 501, 1354
Clarke, B. B., 1286
Clavibacter xyli, on sugarcane: dose-response relations, 1379; dot blot hybridization for detection, 1288; enumeration techniques, 1226
Claytonia virginica, spring beauty latent virus of, new bromovirus, 395, (396)
Clements, D. E., 1355
Cleveland, T. E., 1372
Clevenstine, R., 1302
Close, T. J., 1288
Clover, red, *Fusarium roseum*, wounding effects, 920
Clover yellow vein virus, on *Limonium sinuatum*, 899, (900, 905)
Coakley, S. M., 1245
Cobb, F., 1367
Cochliobolus heterostrophus
—perithecial numbers, loci, 1310
—strains: reduced fitness in field, 1369; toxin production, 1318
C. sativus
—herbicide effect on leakage, 964
—microflora suppressive to, grass litter role, 1327
—performation by amoebae, water potential effect, 243
C. victoriae, toxins: characterization, 1302; host-selective, structure, 1303
Cochran, L. C., 253
Coconut, cadang-cadang viroid of, purification and infectivity, 79, (80)
Coffey, M. D., 135, 230, 1042, 1064, 1222, 1330, 1343, 1345
Cohen, M., 1369
Cohen, S., 1378
Cohen, Y., 1377, 1378, 1384
Colbaugh, P. F., 499, 1286
Colditz, P., 498
Cole, H., 626, 1280
Coleman, M. E., 1283
Colletotrichum spp.: on alfalfa, selective isolation, 1383; mycoherbicide, host specificity, 1361
C. coccodes, on potato, 68
C. fragariae, on strawberry, resistance, 503
C. gloeosporioides
—on *Annona muricata*, fungicides for, 1179
—on avocado, lipoxygenase activity, 1302
—conidial protoplast preparation, 1361
—DNA sequences from, isolation by plaque hybridization, 1309
—self-inhibitor in conidia of, 386
—on *Stylosanthes*, control, 1317
C. graminicola, on corn
—inbred resistance to, illuminance effect, 281
—lesion nematode effects, 654
—residue and inoculum relation, 1212
C. lagenarium, on cucumbers, factors. 828
C. lindemuthianum, on bean
—elicitors in cultivars, recognition, 1374
—extracellular product effect on tonoplast, 1372
—pathogenic variation, Mexican isolates, 1175
—seed transmission, 1175
C. trifolii, on alfalfa, temperature and inoculum effect, 593
C. truncatum, on soybean
—penetration and infection, 704, (705-707)
—mixed fungal infection on seed, histopathology, 489, (490)
Collins, M. H., 145
Collmer, A., 1373
Colyer, P. D., 1340
Computers, AREAGRAM, disease assessment for apple, 1363
Comstock, J. C., 1383
Conde, M. F., 1315
Conifer, stumps of, root disease fungi colonizing, in Alaska, 1294
Coniothyrium minitans, model for hyperparasitism, 61
Conn, K. L., 1377
Conner, R. L., 1376
Connick, W. J., Jr., 774
Conrad, T. A., 1374
Conway, K. E., 499, 502, 1363
Conway, W. S., 1373
Cook, D. R., 1280, 1377
Cook, K. L., 1331
Cook, M. E., 1364
Cook, R. J., 25, 98, 243, 557, 821, 1301, 1333, 1344
Cooksey, D. A., 1289, 1325, 1326
Coombes, J. W., 817
Coombs, R. R. A., 1353
Cooperman, C. J., 1362
Copeman, R. J., 1289, 1301, 1320
Coplin, D. L., 1326
Corbett, M. K., 423
Corden, M. E., 1323
Coriander, virus of, seed-transmitted, 1358
Corn (see also Maize)
—aflatoxin in: effect on yield, 1282; in field, 1282; use of fluorescence, 1378
—anthracnose of: inbred resistance, illuminance effect, 281; lesion nematode relation, pest management, 654; residue relation and inoculum, 1212; spread from surface residue, 1340
—bean rotation, loss evaluation, 1177
—*Bipolaris maydis* on, inbred resistance, temperature and illuminance effect, 274
—Cynodon chlorotic streak virus on, new in Mediterranean area, 1094, (1095-1097)
—downy mildew of, temperature effects, 122
—Goss's wilt, epidemiology and seed transmission, 962
—gray leaf spot: incidence and tillage method, 1366; resistance, hybrid evaluation, 629
—growth enhanced by acids, 1277
—head smut of, development: factors, 577; histology, 924, (925-929)
—kernel infection with *Fusarium, Cephalosporium*, and *Aspergillus*, in Mississippi, 1330
—rust of, disease gradients, 930
—sand abrasion and bacterial infection, 1378
—southern corn leaf blight, resistance, 1195
—stalk rot: pathogens, mycoparasitic fungi, 1201, (1202, 1205); tillage and herbicide effect, 1296
—storage molds of, physical damage effect, 1137
—stunt spiroplasma strains, helicity and motility, 1380
—sweet: hybrid reaction to bacterial disease and northern leaf blight, 1336; rust development, 1341
—viruses of, yield components, 1299
—zearalenone production, pesticide effect, 553
Corn lethal necrosis, virus concentrations in, 1357
Cornus florida, tobamovirus from, in Tennessee, 1359
Corotto, L., 1325
Correll, J. C., 1347, 1370
Corynebacterium faciens
—cytokinin gene homologue detection, 1326
—on pea, bioassay for pathogenicity, 1379
C. flaccumfaciens
—hydrophobicity and charge, 1414
—in soybean, seed transmission, 1295
—on *Zornia glabra* and *Phaseolus vulgaris*, in Colombia, 1288
C. insidiosum, on alfalfa, resistance screening, 1287
C. michiganense: acid rain effect on, 1277; extracellular polysaccharide mutants of, 1378; selective media, 1332
C. sepedonicum, plasmids in, 1378
Cosper, B. H., 1176
Cosper, R. D., 1178
Cottingham, C., 499
Cotton
—Alternaria leafspot, control, 1329
—bacterial blight, bacterial growth, 515
—Fusarium wilt: factors affecting, 1347; and *Meloidogyne incognita*, inoculum density effect, 1348
—MAR and non-MAR cultivars, symbiotic organisms, 1344
—nematodes: control without EDB, 1304;

Fusarium, and mycorrhizal interaction, 504
—Phymatotrichum root rot of: field plot size, 240; genotype evaluation, 463; spatial dynamics, 500
—*Rhizoctonia* damping-off, biocontrol agents for, 812
—root microflora, development, 1282
—Temik-TSX response, planting date effect, 1340
Cotty, P. J., 366, 1297, 1329
Couch, H. B., 1286
Cowpea, Ascochyta blight and scab, fungicide evaluation, in Rwanda, 1308
Cowpea chlorotic mottle virus, on soybean: host interaction, 498; resistance nature, 351
Cowpea mosaic virus, polyprotein inhibitor induced, 1377
Cox, E. L., 1287
Coyier, D. L., 1370
Coyne, D. P., 1179, 1376
Craig, J., 1077, 1300
Cranage, M. P., 1353
Cranberry, rot and physiological breakdown, factors, 1285
Crandall, B. A., 1373
Crane, S. E., 1308
Crawford, J. L., 1304
Creamer, J. R., 1297
Criconemella xenoplax, on peach, chemical treatment, 504
Cristulariella moricola, on pecan, propiconazole for, 501
Cronartium quercuum
—gall overgrowth in greenhouse and field, 1293
—on pine, detection with ELISA, 628
C. ribicola
—new race, in British Columbia, 1295
—spread in Sierra Nevada Mountains, 1367
—on white pine, tissue culture infection, 1130, (1131)
Cross, J. E., 1287
Crosslin, J. M., 1354
Crotalaria, fungi pathogenic to, mycoherbicide potential, 1327
Crucifers
—black rot of, monoclonal antibodies for strain identification, 722
—clubroot of, control by lime, 665
Cryptomycella pteridis, on bracken, epidemiology, 1360
Csinos, A. S., 1346
Cucumber, anthracnose of, factors, 828, 1422
Cucumber mosaic virus
—isolates of, genetic analysis, 758, (759, 760)
—variants of, *Vigna* spp. role, 751, (752)
Cucumis melo, *Fusarium equiseti* on seedlings, 1385
Cucurbita pepo, viruses of, epidemiology, 503
Cucurbits
—blight of, in Iran, 1299
—viruses of, double-stranded RNA detected in, 1293
Cucuzza, J. D., 48, 1316
Cullen, R. E., 1307
Cummings, J. E., 1279
Cummins, J. N., 1312
Cunfer, B. M., 1350
Curl, E. A., 1360
Curvularia lunata, on bentgrass, pathology, 1286
Cylindrocladium spp., identification using aminopeptidase, 1364
C. scoparium, recovery from soil, Pennsylvania, 629
Cynodon chlorotic streak virus, on Bermuda grass and corn, in Mediterranean area, 1094, (1095-1097)
Cytophaga sp., on bell pepper, postharvest rot, 1288
Cytospora spp., on blue spruce, 10 isolates tested, 1294
C. cincta, on peach: phenolics in bark, 1298; pectic substances, 1375
C. kunzei, vegetative compatibility groups, 965

Dactyloctenium aegyptium, virus-like mosaic on, 500
Dacus spp., on citrus, ethylene dibromide for, plant toxicity, 616
Dahlbeck, D., 235, 1354
da Luz, W. C., 1295
Damann, K. E., Jr., 1288
D'Amico, J. F., 626
Damsteegt, V. D., 1349
Daniell, J. W., 1376
Daniels, B. A., 1284
Daniels, C., 1308
D'Arcy, C. J., 965, 1348, 1353, 1356
Darrah, L., 965
Dasheen mosaic virus, characterization of California isolate, 1355
Database, world plant pathogens, 1371
Datnoff, L. E., 1299
Datura stramonium, virus from, proteinaceous inhibitor, 1293
Daub, M. E., 1298
Daubeny, H. A., 1289
Davis, A. E., 625, 1307
Davis, D. D., 624, 627
Davis, J. M., 1341
Davis, J. R., 1279, 1301
Davis, L. L., 624
Davis, M. J., 1176, 1179, 1226, 1288
Davis, R. E., 1286, 1351, 1380
Davis, R. H., 1307
Davis, R. M., 1283
Davoli, T. A., 1280
Dawson, W. O., 1334
Deahl, K. L., 1336
Deasey, M. C., 1355
de Boer, G. J., 665
DeGennaro, F. P., 654
Delp, B. R., 1319
Delserone, L. M., 624
de Mejia, M. V. C., 1177
Demski, J. W., 498, 1350
Denis, S. J., 1307
Derie, M. L., 1281
Derrick, K. S., 499, 1312, 1354
Desjardins, P. R., 1311, 1349
Detweiler, R., 1289
DeVay, J. E., 1179, 1348, 1350
deWit, P. J. G. M., 695
Dhingra, O., 1175
Dianese, J. C., 581
Diaporthe sp., on soybean, seed quality resistance and environment, 797
D. phaseolorum, on soybean
—cultivar reaction, 1176
—pathogen growth and lesion development, 1278
—pathotypes, 501
—seed and stem infection, isolate comparison, 1332
—thiabendazole effect, 1295
—tillage and cropping effect, 1156
Dickman, M. B., 1309
Dietert, R. R., 914
Dietz, M. R., 624
Dietzgen, R. G., 1353, 1356
Dillard, H. R., 90, 1287
Diner, A. M., 1130
Diodia virginiana, ultrastructure, virus-like agent, 1324
Diplodia gossypina, on sweet potato, inoculation, 501
D. natalensis, on orange, polygalacturonase inhibition in infected rind, 446
Disease forecasting
—apple scab ascospores, 381
—dew point monitoring device, 1341
—*Pythium aphanidermatum* root rot, quantification, 1242
Disease intensity, assessment, factors, 1371
Disease sampling pattern, diagonal, W, and stratified comparison, simulation, 1319
Disease transmission, infection rate and probability, group testing, 882
DiVittorio, T. J., 264
Dobson, J. W., 498
Dodds, J. A., 195, 631, 1293, 1311, 1357
Dolan, T. E., 1222, 1330
Dolores-Talens, A. C., 963
Donald, P., 963
Donaldson, R. C., 499, 1381
dos Santos, R. M. D. B., 581
Doster, M. A., 318, 1313, 1369
Double, M. L., 62, 1322, 1368
Douglas, S. M., 1350
Douglas-fir
—black-stain root disease of, root-colonizing insects, 399
—decay, fumigants for eradication, 588, 1366
—top blight diseases of, symptomatology, 1367
—utility poles from, basidiomycete effect, 1323
Douglass, L. W., 472
Dowler, W. M., 1309, 1371
Drahos, D. J., 1360, 1381
Drain, J., 1298
Draughon, F. A., 553
Drees, C. F., 498
Droby, S., 1302
Duck, N. B., 122, 625
Dueker, D. K., 963
Duffus, J. E., 1312, 1358
DuFresne, C., 1374
Dukes, P. D., 1363
du Maroc, R., 1336
Duncan, H. E., 1340
Duniway, J. M., 217, 1333
Dunleavy, J. M., 1295
Dupler, M., 1297, 1331, 1385
Duran-Vila, N., 1358
Durbin, R. D., 1373
Dwinell, L. D., 1104

Eastburn, D. M., 1333
Easton, G. E., 1282
Ebermann, R., 1102
Echandi, E., 499
Echinochloa hoja blanca virus, maize and rice viruses compared to, capsid and noncapsid proteins, 1291
Eckert, J. W., 174, 865
Edgington, L. V., 1345
Edwards, D. I., 1304
Egel, D. S., 1327
Ehara, Y., 453
Elad, Y., 458, 1047, 1053, 1302
El Ashuh, S., 1349
Elazegui, F. A., 1300
Eldin, T. M. S., 963
Eleagnus angustifolia, Tubercularia canker and dieback, in North Dakota, 1367
Electron microscopy (see also Ultrastructure)
—anthracnose on soybean, penetration and infection, 704, (705-707)
—*Balansia epichloe* and *Myriogenospora atramentosa* on grasses, 950, (953-955)
—barley yellow dwarf virus, aphid vector hemocoel, 292, (293, 295, 296)
—citrus, xylem occlusions in trunks of, 145, (146-149)
—clover yellow vein virus, in *Limonium sinuatum*, 899, (905)
—Cynodon chlorotic streak virus, on Bermuda grass and corn, 1094, (1095-1097)
—grape leaf xylem, Pierce's disease bacterium, 264, (265-267)
—maize mosaic virus, particle structure and purification, 1167, (1169-1171)
—maize white line mosaic virus, 870, (872)

—rice grassy stunt and rice stripe viruses, 894, (895-897)
—soybean cyst nematode, phytoferritin and starch in nodules, 159, (160-163)
—*Sphacelotheca* on corn, histology, 924, (925-929)
—*Streptomyces* on radish, etiology, 568, (570)
—tomato vein-yellowing virus, cytopathological properties, 109, (110, 111, 113)
—*Verticillium albo-atrum* on alfalfa seeds, 482, (485-487)
—*Xanthomonas campestris* in soybean leaves, 733, (735-739)
Electrophoresis, polyacrylamide gel, soft rot bacterial differentiation, 549
Elizondo, D., 1178
Elliott, M. S., 1180
Elliott, V. J., 1318, 1370
Ellis, M. A., 165, 611, 700
Elliston, J. E., 151, 170, 1405
Elm, Dutch elm disease of: 50-year survival, 624; spore movement in host, 624
El Maataoui, M., 109, 1094, 1258
Elmer, W. H., 1361
ElNashaar, H. M., 1363
El-Zik, K. M., 1344
Endert-Kirkpatrick, E., 1298, 1375
Endo, R. M., 375, 1287, 1315, 1327
Endocronartium harknessii
—on lodgepole pine, tissue infection, 1279
—on radiata pine, resistance, 1443, (1444)
Endophyte, detection in ryegrass and fescue, meristem, 1331
Endothia spp.
—*Cryphonectria* differentiation, cycloheximide and esterase, 627
—morphology of, *Cryphonectria* comparison, 1322
E. parasitica
—characteristics on agar media, 1297
—on chestnut, sporulation after hypovirulent inoculum exposure, 1322
—cytoplasmic debilitating strain, 170, (172), 1405, (1411)
—double-stranded RNA association, 624
—hypovirulent strain: homology, 1325; no double-stranded RNA, 1328; RNA activity in vesicles of, 1324; sequence and double-stranded RNA, 1325
—strains of, hypovirulence relation and characteristics, 151
—virulent and hypovirulent forms: dissemination, 533, (534, 535); inoculum, 629
Engebrecht, J., 1288
Engel, R. E., 1286
Engelhard, A. W., 1306
Englander, L., 1364
Engle, C. E., 1384
English, J. T., 1289, 1318
Enríquez, G. A., 1176, 1177
Ensing, J., 429
Enterobacter cloacae, binding to fungal and plant cell walls, 1328
Entomosporium maculatum
—on pear, physiology, 94
—on *Photinia*, histology, 623
E. mespili, conidial production and germination on carrot agar, 1306
Epidemiology
—alfalfa anthracnose, temperature and inoculum concentration, 593
—Botrytis leaf blight of onion, dew period, 808
—disease progress: curve and rate parameters, 786; model, functions in growing plants, 792
—foliar disease, bacteria, model, 505
—leather rot of strawberry fruit, sporulation and factors, 700
—oat crown rust, cultivar mixture effect, 1141
Epstein, L., 1073, *1468*, 1373
Eremochloa ophiuroides, virus-like mosaic on, 500
Errata
—vol. 74, no. 11, 1984, 378
—vol. 75, no. 3, 1985, 748; no. 5, 1985, 1078; no. 9, 1985, 1468
Erwin, D. C., 865
Erwinia amylovora
—on apple: injury and infection, 629; streptomycin resistance, 1281
—characterization, fatty acid profiling, 1281
—on pear, wood starch and canker relation, 1316
—survival, irradiation, 626
—on sweet cherry, survival in flowers, 1379
E. carotovora
—bacteriocin receptor, 1320
—cloning, DNA fragment effects, 628
—effect on protoplast derived potato calli, 1379
—gene products, tuber degradation, 1326
—hydrophobicity and charge, 1414
—pectolytic enzyme genes, characterization, 1326
—strain: identification, chromosomal DNA restriction patterns, 1381; competitive interaction, 1281
E. chrysanthemi
—on alfalfa, sprout rot caused by, 1379
—pectate lyase gene, sequencing, 1326
E. herbicola
—ice nucleation bacterium, on apple and peach, 502
—on *Gypsophila*, galls, 1289
E. stewartii, recombinant plasmid from, gene characterization, 1326
Erysiphe graminis, on wheat, crop management, 538
E. polygoni, on bean, growth and sporulation, computer graphics, 1278
Eschen, D. J., 1305
Eslyn, W. E., 588, 1367
Estrada, B. A., 1368
Euonymus spp., tomato ringspot virus on, chlorotic ringspot disease caused by, 423, (425, 426)
Eustoma grandiflora, Fusarium wilt of, 1306
Evans, D. A., 1354
Evans, R. K., 1335
Evans, T. A., 568, 1324
Evenson, P. D., 1277
Everts, K. L., 808, 963
Experimental design, disease transmission, group testing, 882
Exserohilum turcicum: acid rain effect on, 1277; propiconazole effect on, 1346
Eyal, H., 1378
Eyal, Z., 226, 1300, 1354, 1456, 1463
Eyo, U. E., 499
Ezzahiri, B., 1317, 1341

Fagbenle, H. H., 1304
Falk, B. W., 852, 1292, 1358
Fardelmann, D., 1284
Faris, M. A., 390
Fatmi, M., 1332
Fenn, M. E., 1064, 1330
Fenwick, H. S., 1305
Ferguson, J. J., 1283
Fernández, A., 1179
Fernandez, J. A., 845
Fernandez-Northcote, E. N., 1353
Ferrandino, F. J., 1232
Ferreira, S. A., 1383
Ferriss, R. S., 1236, 1290, 1342
Ferro, D. N., 1188
Festuca arundinacea, endophyte hyphae in seeds of, survival, 1331
Fett, W. F., 733, 1280, 1414
Figueroa M., A., 1176
Filip, G. M., 1294
Filonow, A. B., 1282
Finney, M. M., 438
Fir
—Fraser: new twig canker of, 630;
—Phytophthora root rot: epidemiology, root colonization and inoculum, 1004, (1007); rhizosphere width estimate, epidemiology, 1010
—white and grand, wounding and fungi of, 1294
Fisher, G. A., 1282
Flax, rust of, mutations to virulence and avirulence, 771
Fletcher, J., 1351
Flores, E. M., 1179
Florini, D. A., 1305
Fogaça, M., 1372
Fomes annosus, isozymes of, starch gel electrophoresis, 1368
Fontenot, D. B., 1299
Forbes, G. A., 1371
Forer, L. B., 626
Forest pathogens, distribution in China and USA, case study, 1322
Forster, R. L., 260, 1332, 1385
Fort, T. M., 1307
Fortin, J. A., 1364
Foster, J., 899
Foster, J. E., 212
Foster, K. W., 1354
Fowler, M. C., 1160, 1290
Fraedrich, S. W., 1337, 1367
Francl, L., 963
Frank, J. A., 538, 624, 1039, 1337
Frank, J. R., 623
Frank, Z. R., 403
Frankenberger, E. M., 797
Franklin, J. D., 1285
Fravel, D. R., 625, 774
Frederick, J. R., 538
Frederick, R. D., 1326
Frederiksen, R. A., 1310, 1341, 1342, 1374, 1384
French, E. R., 1288
French, R. C., 1354
Frey, K. J., 1316
Freytag, G. F., 1032
Fridlund, P. R., 325
Fristensky, B., 1308
Fry, W. E., 627, 982, 1309, 1310, 1319, 1329, 1339
Fuchs, R. L., 1360
Fucik, J. E., 1283
Fucikovsky, L., 1351
Fujiyama, D. K., 1308
Fulbright, D. W., 533, 1325, 1328, 1350
Fulton, J. P., 1324
Fulton, R. W., 751
Fumigants
—chloropicrin, wood decay eradication, 588
—ethylene dibromide, citrus fruit, phytotoxicity, 616
—Vapam, wood decay eradication, 588
Fungicides (general) (see also Fungicides, specific)
—concentration and timing, cucumber anthracnose, 1422
—deposition and distribution in greenhouse crops, electron microscope and X-ray analysis for study, 1345
—downy mildew on cantaloupe, 1287
—pome fruit decay, thiabendazole-resistant strains, 877
—resistance, to benomyl by *Penicillium expansum*, 74
—sterol biosynthesis in fungi affected by, 625
—sterol-inhibiting, for apple scab fungus, 1098
—zearalenone production in corn affected by, 553
Fungicides (specific) (see also Fungicides, general)
—benomyl, degradation in fungicide-treated soils, 763

—bitertanol, effect on apple mildews, 130
—carbendazim, degradation in fungicide-treated soils, 763
—DPX-H6573: field crop diseases, broad spectrum, 1307; for tree fruit diseases, broad spectrum, 1307
—fentin hydroxide, potato early blight, 529
—fosetyl-Al: *Phytophthora* spp. affected by, phosphorous acid, 1042; *Phytophthora capsici* on tomato, phosphorous acid relation, 1064; on tomato, mode of action, 1330
—guazatine, on citrus, postharvest use, 1307
—metalaxyl: attentuation on potato leaves, acid rain effect, 1329; biodegradation in avocado soil, 1345; for cottony leak of cucumber, rate and time, 1362; *Phytophthora megasperma* insensitive isolate, 1014, *1468*; translocation in soybean, 865
—metalaxyl and mancozeb, potato late blight effect, 630
—metham-sodium, for soilborne pathogens, 403
—myclobutanil: for apple diseases, 1308; chemical and fungicidal characteristics, 1307
—pentachloronitrobenzene, *Endothia parasitica* resistant to, 533
Funk, C. R., 1286, 1331
Fusarium spp.
—on alfalfa feeder roots, 1112
—on *Baccharis* spp., in Brazil, 1364
—cellulose hydrolysis and sugar fermentation by, factors, 962
—on cereals, potato rotations, 1364
—chlamydospore germination, suppression by carbon and iron competition, 1053
—on turfgrass, factors, 1160
F. acuminatum, on wheat, freezing injury interaction, 845
F. graminearum, on wheat heads, Group II, 964
F. lateritium, genetics, 741
F. moniliforme
—on loblolly pine: branch dieback and seed infection, 1104, (1106, 1107); pathogenicity, 1368; pine tip moth association, 1339
—on slash pine, response, 1279
F. moniliforme and *F. oxysporum*, on asparagus, asparagus miner association, 1188, (1189)
F. moniliforme and *F. subglutinans*, survival and inoculum build-up in Colorado, 1296
F. oxysporum
—on celery: isolate comparisons, 1361; roots, compatibility groups 1347; selective medium for, 1347; variability, factors, 1315
—chlamydospore germination, siderophore-producing pseudomonad effect, 1047
—complex on chickpea in Spain, 1146
—on cowpea, resistance inheritance, 1354
—growth, on media and in soil, 53, (54)
—metham-sodium effect on, soil factors, 403
—on muskmelon, cucumber beetle larval effect on, 209
—phytotoxin production by, 1298
—on pine, hypocotyl rot from, environment, 58
—race differentiation, compatibility, 1347
—on tomato: *Glomus* interaction, 1364; race 2 resistance, somaclonal, 1354
—on watermelon, solarization effect, 502
—xylose fermentation by, glucose effect, 967
F. roseum, Acuminatum and Avenaceum, on forage legumes, wounding effects, 920
F. roseum graminearum, zearalenone production, pesticide effect, 553
F. solani
—on bean, boron and iron amendment effect, 989
—on pea, chitosan effect, 1303
—ultrastructure of keratitis, 963
F. sporotrichioides, on black walnut, stem canker from, 1279
F. subglutinans, moniliformin from, in swine feed, 1378

Gabriel, D. W., 1320
Gadoury, D. M., 381, 856
Gaeumannomyces graminis, on wheat: inoculum size and concentration, 98; quantification with ELISA, 1363; suppressive soil effect, 557
Gaines, V. M., 1375
Galindo, J. J., 1177, 1178
Gallaher, R. N., 833, 1447
Gallo, J. E., 1280
Gálvez, G., 1178, 1180
Gámez, R., 1177
Ganoderma spp.: cultural and temperature relations, 1323; wood decay studies of, 1322
Gantotti, B. V., 1316
Gaona, S. A., 1084, 1091
Garber, R. H., 1347, 1348
García M., R., 1177
Gardner, C. O., 1378
Gardner, D., 1381
Gardner, J. M., 1314
Gardner, W. S., 1277, 1350
Garnsey, S. M., 1311
Garraway, M. O., 138, 962, 1298, 1375
Garrod, S. W., 533
Gaspard, J. T., 1344
Gates, M. M., 625
Gatti, J. M., 500, 1346
Gendloff, E. H., 1298
Genetic engineering: *Erwinia, Pseudomonas*, and *Xanthomonas*, 1320; *Pseudomonas* and *Xanthomonas*, 1321
Genetics of microorganisms: *Erwinia* and *Escherichia* gene transfer, 1320; *Gibberella baccata*, 741; virulence changes in stem rust, 749
George, R. A., 1363
George, S. W., 500
Geotrichum candidum
—on lemon fruits, injury resistance, 174, (175, 177, 178)
—polygalacturonase production, water relation, 624
—protein, electrophoretic analysis, computer aided, 627
Geranium, *Pythium ultimum* on, variation, 1305
Gergerich, R. C., 502, 1324, 1355
Gerik, T. J., 240, 500
Gerlach, W. L., 1334
Ghabrial, S. A., 1325
Gibberella baccata
—compatibility and sex in, inheritance, 322
—morphological characteristics, genetics, 741
G. fujikuroi, genetics, vegetative compatibility group, 1309
Giblin, D. E., 1290
Gibson, D. G., 329
Gies, D. R., 1320
Gilbert, R. G., 1333
Gilbertson, R. L., 1188, 1296, 1322, 1323
Gilchrist, D. G., 1375
Gildow, F. E., 292, 1348, 1358
Gill, P. R., 1325, 1360
Gillett, J. M., 709
Gilligan, C. A., 61
Gingery, R. E., 84, 870, 1324
Ginzberg, I., 195
Giorda, L. M., 1357
Gish, T. J., 472
Gitaitis, R. D., 1288
Glascock, C. B., 1377
Glass, N. L., 1325
Gleason, M. L., 1236, 1342
Gliocladium virens
—biocontrol agent: alginate-clay matrix for encapsulation, 774; for *Rhizoctonia*, 560; in soil and rhizosphere, 729
—*Rhizoctonia* damping off prevented by, 812
Globodera rostochiensis, on potato, emergence, 1305
Gloeosporium aridum, on green ash, evaluation technique, 966
Glomerella glycines, on soybean, penetration and infection, 704, (705-707)
Glomus dimorphicum, chlamydospore production, hosts, 1365
G. fasiculatus, on sour orange seedlings, girdling effect on, 1283
G. intraradices, on cotton, nematode and *Fusarium* relation, 504
Goates, B. J., 1383, 1385
Goheen, A., 1323
Gold, H. J., 1342
Gold, S. E., 333
Golden, J. K., 504
Gomez-Tovar, J., 1178
Gonsalves, D., 751, 758, 1287, 1293, 1312, 1323
Goode, M. J., 1287, 1362
Gooding, G. V., Jr., 1335
Goodman, A., 1302
Goodman, R. N., 1281
Goodwin, P. H., 1350
Gorbet, D. W., 503, 1337
Gordon, D. T., 1167
Goth, R. W., 625
Gotlieb, A. R., 342, 347
Gottwald, T. R., 190, 500, 801, 1369
Gough, F. J., 180, 1280
Govindarajan, A. J., 1380
Grafton, K. F., 1310
Graham, J. H., 1284, 1312
Grand, L. F., 1338
Grantham, G., 1334
Grape
—downy mildew of, detection with sampling procedure, 1252
—Eutypa dieback, yield effect, 1370
—leafroll: double-stranded RNA relation, 1323; virus-like particle isolation, 1323
—Pierce's disease of: electron microscopy, 264, (265-268); immunology, 1175; physiological and pathological characteristics of strains, 713; water stress, 500, 1350
—powdery mildew of: leaf maturity and cultivar resistance, 318; myclobutanil for control, 1307
Grasses, new hosts for fungi on, in Virginia, 628
Grau, C. R., 1299, 1345
Graves, C. H., 1337, 1419
Gray, L. E., 1312, 1315
Gray, S. M., 1349, 1359
Grayson, R. L., 1311
Greathead, A. S., 665
Green, R. J., Jr., 963
Greenberger, A., 1383
Greenblatt, G. A., 1384
Greenough, D. R., 500, 1362
Gregory, G., 963
Griffin, D. H., 674
Griffin, G. D., 1304
Griffin, G. J., 629
Griffiths, H. M., 1372
Grisham, M. P., 1329
Grogan, R. G., 90, 217, 1319, 1385
Gross, D. C., 1320, 1325
Groth, D. E., 500, 1365
Groth, J. V., 449, 1310
Grove, G. G., 165, 611, 700
Grybauskas, A. P., 1366
Guanabana, *Colletotrichum gloeosporioides* on, morphologic study, 1179
Guayule, endomycorrhizae of, sodium and calcium effect, 1283

Gubler, W. D., 1329
Gudauskas, R. T., 1292, 1360
Gudmestad, N. C., 1364, 1379
Guerra, D., 989, 992
Gugerli, P., 1353
Guillemet, F. B., 1345
Guillemette, M. K., 1278
Gulya, T. J., 1339
Gumpf, D. J., 195, 1355, 1380
Gunasinghe, U. B., 1348
Gunnell, P. S., 1340, 1383
Gupta, J. P., 865
Gustafson, G. D., 1334, 1335
Gutterson, N. I., 1325, 1343
Guyer, R., 1383
Guzzo, S. D., 1372
Gwinn, K. D., 625, 1298

Hadden, J. F., 1346
Hadden, J. H., 500
Hadwiger, L. A., 1303, 1308
Hagedorn, D. J., 1287, 1335, 1362, 1377
Hagler, W. M., 1283
Haley, B. E., 1335
Halisky, P. M., 1286, 1331
Halk, E. L., 1357
Hall, R., 529
Halliwell, R. S., 1323
Hamilton, M. G., 1363
Hamm, P. B., 1322, 1367
Hammel, R., 1364
Hammerschmidt, R., 1312
Hammond, J., 1353
Hammond, R. W., 1353
Hampson, M. C., 817
Hanchey, P., 1373
Hancock, J. G., 1112, 1327
Hanna, M. R., 482
Hanna, W., 504
Hannan, R. M., 1308
Hansen, D. R., 1324
Hansen, E. M., 399, 1322, 1367
Hansen, M. A., 1299
Hanson, C. K., 1323
Harder, D. E., 1303
Harding, H., 1316
Harman, G. E., 1327, 1328
Harper, A. M., 206
Harper, J. D., 1360
Harrington, T. C., 1339
Harris, R. R., 1349
Harrison, N. A., 1288, 1379
Hart, J. B., 1294
Hart, J. H., 1294, 1322
Hart, L. P., 1298, 1375
Hartman, C. L., 963, 1377
Hartman, G. L., 704, 1298, 1317
Hartsell, P. L., 615
Hartz, T., 502
Harville, B. G., 498
Hassan, S., 287
Hatfield, J. D., 1295
Haufler, J. B., 1294
Haufler, K. Z., 1350
Hausbeck, M. K., 1305
Hawes, M. C., 964
Hayes, J. E. K., 1347
Haynes, S. C., 1368
Headrick, J. M., 964, 1341
Heagle, A. S., 996
Heald, R., 1367
Heatherly, L. G., 504
Heaton, L. A., 1335
Hebeloma sp., antibodies specific to chickens, production, 1364
Hecker, R. J., 1308
Hedin, P. A., 1337, 1419
Heggestad, H. E., 472
Heick, J. A., 1357
Heins, R. D., 1305
Heiny, D. K., 1375
Helianthus annuus, *Pseudomonas syringae* on, chlorophyll alterations, 1351
H. tuberosus, pathogens of, reactions, 502
Helicotylenchus dihystera, population density and soil factors, 247
Heller, L., 1318
Helminthosporium spp., on corn, staining techniques, 967
H. carbonum, toxin
—host-specific, structure, 1313
—purification of two analogs, 1313
H. sativum, toxin from, sensitivity to, 964
H. turcicum, *Escherichia coli* effect on disease from, 1350
H. victoriae, on oats, isolates, 1373
Helms, K., 337
Helsel, D. G., 1316
Hemileia vastatrix
—on coffee: primary infection, 1372; systemic fungicides for, 1178
—glyceollin in soybean elicited by, 1372
Hemlock
—basal canker, *Fusarium* and *Phomopsis* association, 1306
—eastern, tree-ring analysis, 627
Hemming, B. C., 1361
Henderlong, P. R., 1384
Hendrix, F. F., 1376
Henis, Y., 940
Henry, C. E., 1375
Henry, M. J., 625, 1307
Herbicide, carbonaceous leakage induced by, from propagules, 964
Hernández, J. M., 1177
Heterodea glycines
—cysts of, fungal association in Colombia, 1178
—reproduction and survival in Minnesota, 1366
—sampling in fields, 963
—on soybean: *Arthrobotrys*, biocontrol, 502; nodules of, phytoferritin and starch, 159, (160-163)
—*H. schachtii*, on sugarbeet, chemical control, 1304
Hewings, A. D., 1177, 1349, 1353
Heyne, E. G., 573
Hibino, H., 894
Hibiscus rosa-sinensis, *Pseudomonas syringae* on, leaf spot, 501
Hickey, K. D., 130, 626, 1280
Hiebert, E., 499, 1177, 1334
Higgins, V. J., 695
Highley, T. L., 588, 1367
Hill, J. H., 963
Hill, J. P., 1296
Hillman, B. I., 361, 1334
Himelick, E. B., 1279
Hindal, D. F., 625, 626, 1297
Hindman, D. W., 1179
Hirano, S. S., 505
Hiratsuka, Y., 1278, 1279, 1339
Hiremath, S., 1325
Hiruki, C., 1311, 1357, 1358
Hoang, I. S., 1300, 1370, 1371
Hobbins, D. L., 629
Hobbs, T. W., 500, 503, 1156, 1295
Hoch, H. C., 1073, *1468*, 1373
Hockett, E. A., 1354
Hoefert, L. L., 1358
Hoffmann, J. A., 1297, 1331, 1383, 1385, 1428
Hofstra, G., 429, 529
Hoitink, H. A. J., 1344, 1361
Holcomb, G. E., 500
Holley, J. D., 529
Hollier, C. A., 500, 1299
Holtmeyer, M. G., 1364
Homma, Y., 243
Hooper, G. R., 1311
Hoose, W. A., 1073, *1468*, 1373
Hopkins, D. L., 500, 713, 1343
Hoplolaimus galeatus, on alfalfa root, histopathology, 297, (298-304)
Horenstein, B. A., 1313
Horner, W. E., 625, 627, 1337, 1368
Horst, R. K., 1306
Horton, J. L., 845
Host-parasite interaction, model for, viruses, 628
Hotchkiss, M. W., 1285
Houck, L. G., 615, 1285
Howell, C. R., 1328
Howell, M., 1344
Howell, W. E., 325
Howie, W. J., 1301, 1344
Hoy, J. W., 1299
Hoyer, P. H., 1302
Hruschka, W. R., 627
Hsu, H. T., 778, 1353, 1356
Hsu, Y. H., 661
Hu, J. S., 914
Huang, B.-F., 1360
Huang, H. C., 206, 433, 482, 859, 1328
Huang, J. S., 159, 1270, 1313
Huang, P. Y., 159, 1313
Huber, D. M., 627, 1282
Huffman, M. D., 1456, 1463
Hugh, R., 627
Huisman, O. C., 1282
Hull, L. A., 623
Humulus lupulus, downy mildew of, temperature and humidity effect on sporangia, 127
Hunger, R. M., 964, 1308
Hunst, P. L., 1177
Hunt, R. S., 1295
Hunter, B. B., 629
Hunter, B. G., 1335
Hunter, J. E., 1287
Hural, K., 1370
Hurlbert, R. E., 1376
Hurt, W. S., 1307
Hurtt, S. S., 1286, 1294, 1359
Hussey, R. S., 502, 504
Huttermann, A., 1297
Hylastes nigrinus, on Douglas-fir, black stain association, 399
Hyperparasitism, sclerotia, growth potential in soil, 1344
Hypoxylon spp., on red oak, pioneer decay fungi, 626
H. mammatum, on aspen, host-pathogen interaction, 674

Ichida, J., 963
Ichielevich-Auster, M., 1080, 1332
Illinoia pepperi, blueberry shoestring virus vector: acquisition and transmission, 709; field transmission, 1217
Immunodiffusion, slide prepared from, projection, 1352
Immunofluorescence microscopy, potyviral antigens visualized by, 1177
Imperial, J. S., 79
Infection rate, estimation, group testing, 882
Inglis, D. A., 1362
Insects, leaf-chewing, fungal survival in feces of, 206
Integrated pest management, lesion nematode and anthracnose on corn, 654
Ironwood, wound response of bark, periderm formation, 1191
Irwin, M. E., 1349
Isakeit, T., 964
Isariopsis griseola, on bean: loss determination, 1178; resistance evaluation and loss estimates, 1180
Iskra, A., 625
Iuli, R. J., 626
Ivers, D. R., 1345
Iwasaki, M., 894

Jacks, T. J., 1378
Jackson, A. O., 1335
Jackson, L. F., 1373
Jacobsen, B. J., 1346
Jacobson, D. J., 1370
Jacobson, J., 1318, 1329
Jacoby, B., 1302
Jaffee, B. A., 626, 1348
Jahrling, P. B., 626
Janisiewicz, W. J., 626, 1301
Jara, C. E., 1176
Jardine, D. J., 1319
Jaun, B., 1302, 1303
Jeffers, D. P., 1347, 1348
Jeffers, S. N., 1347
Jeger, M. J., 240, 500, 1287, 1370, 1371
Jenkins, S. F., Jr., 828, 1182, 1362, 1422
Jenner, J. F., 615, 1285
Jenns, A. E., 274, 281
Jensen, S. B., 1292
Jensen, S. G., 965, 1132, 1156
Jett, J. W., 626
Jewell, F. F., Sr., 1293
Jia, S. R., 1356
Jiménez, A. G., 1177
Jiménez, L. G., 1175
Jiménez-Diaz, R. M., 1146
Joe, L., 1343, 1361
Johns, M. R., 1312, 1358
Johnson, A. W., 502, 1305
Johnson, D. A., 127, 623, 1317, 1370
Johnson, J., 1287, 1321
Johnson, K. B., 1300
Johnson, M. C., 1286
Johnson, W. M., 515
Joley, D. B., 1328
Jones, A., 1363
Jones, A. L., 1098
Jones, J. B., 501, 1281, 1288, 1306, 1362
Jones, J. W., 792
Jones, R. K., 498, 1340
Jones, S. B., 733
Jonsson, C. B., 1361
Jordan, C. M., 1315
Jordan, R., 1351, 1353, 1356
Joseph, M. C., 1042
Juzwik, J., 1338

Kado, C. I., 1288, 1301
Kaiser, W. J., 1308, 1310
Kalafarski, J., 1322
Kamdar, H. V., 1355
Kamso-Pratt, J. M., 1288
Kanaskie, A. M., 1367
Kane, R. T., 1160, 1290
Kao, J., 1287, 1316
Kaplan, H. J., 1307
Kapulnik, E., 1348
Karasevicz, D., 626
Kardin, M. K., 1310
Kartha, K. K., 1316
Kasim, R., 1315
Katan, J., 753, 1291
Kawaguchi, I., 1287
Kawalek, M., 1326
Kaymanesh, K., 1331
Kays, S. J., 502
Ke, C., 1324
Keeling, B. L., 501, 1278
Keen, N. T., 235, 1303, 1321, 1326
Kellam, M. K., 230, 1343
Kelley, R. D., 1359
Kelling, K. A., 1379
Kellogg, T. F., 1369
Kelman, A., 1379
Kempter, B. A., 1362
Kendall, T. L., 964
Kendall, W. A., 920
Kendra, D. F., 1303
Kenerley, C. M., 500, 1344, 1345
Kennedy, B., 1351
Kennedy, G. G., 201, 1349
Keppler, L. D., 964, 1321
Keyser, G. C., 1358
Khaless, N., 1094, 1258
Khan, M., 1297
Khokhar, L. K., 1295
Khuri, A. I., 1280
Kim, C.-H., 501, 1319, 1342
Kim, K. S., 501, 1324, 1355, 1356
Kim, S. H., 626, 1379
Kim, Y. H., 501
King, P. S., 1305
Kingsland, G., 1299, 1318, 1363
Kinkel, L., 1319
Kirby, H. W., 1284, 1299, 1346
Kirkpatrick, B. C., 1351
Kittich, C. J. R., 1318
Klein, R. E., 1349
Kliejunas, J. T., 1367
Klisiewicz, J. M., 1328
Klittich, C. J. R., 1369
Klomparens-Baker, K., 1350
Kluepfel, M., 1263
Knoop, W. E., 1286
Knopp, J. A., 1270
Knorr, D., 1334
Knous, T. R., 1298
Knudsen, G. R., 626, 1343
Ko, M. P., 159, 1313
Ko, W. H., 683
Kobayashi, D. Y., 1355
Koh-Knox, C., 1137
Köhm, B., 1353
Kohut, R. J., 1277
Kokko, E. G., 482, 859
Kolmer, J. A., 1310
Koltin, Y., 1080, 1332
Kommedahl, T., 577, 623, 964, 1364
Konai, M., 1351, 1380
Kono, Y., 1314
Kontaxis, D. G., 1346
Kositratana, W., 1355
Kostka, S. J., 1294
Kosuge, T., 1325
Kotcon, J. B., 68, 1305
Koukkari, W., 1351
Kraft, J. M., 1301, 1347
Krahmer, R. L., 329
Krause, C. R., 1345
Krikun, J., 1365
Kronland, W. C., 1242, 1314, 1334
Kropp, B. R., 1364
Krueger, W., 1346
Krupinsky, J. M., 1295, 1314
Krupp, J. M., 1339
Kuć, J., 1127, 1304
Kucharek, T. A., 1307, 1337
Kueh, T. K., 1315
Kuhn, C. W., 351, 498
Kuklinski, R. F., 264
Kunkle, L. D., 1314
Kuntz, J. E., 1279
Kunwar, I. K., 489, 704, 1303
Kurdyla, T., 1279
Kushalappa, A., 1175
Kuter, G. A., 1344, 1361
Kuti, J. O., 1378

Laberry, R., 1178
Laccaria bicolor, protoplast formation, 1364
Laccetti, L., 1073, *1468*, 1373
Lacy, G. H., 625, 628, 1326
Lacy, M. L., 568, 808, 963, 967, 1284, 1361
Laemmlen, F. F., 1287
Laird, D. W., 1337
Lakshman, D. K., 751, 758, 1357
Lalancette, N., Jr., 130, 626, 1280
Lambe, R. C., 625, 629, 630
Lamport, D. T. A., 1374
Langenberg, W. G., 1356, 1358
Langham, M. A., 1357
Larios, J. F., 1177
Larsen, R. C., 1324
Larson, P. J., 1345
Lastra, R., 1094, 1349
Latham, A. J., 501, 1277
Latin, R. X., 209
Latterell, F. M., 625, 1177
Laurence, J. A., 1277, 1352
Lautenschlager, L. F., 936
Laviolette, F. A., 690
Lawrence, E. B., 322, 741
Lawson, E. C., 1361
Lawson, R. H., 778, 899, 1353, 1373
Lax, A. R., 386
Layton, T. J., 1343
Lazo, G. R., 1320
Leandro, G., 1177
Leary, J. V., 1289, 1326
Leath, K. T., 920, 1304
Leatherman, J. R., 598
Lecoq, H., 890
Lectins
—fluorescent-labeled, decay fungi in wood, 329, (330, 331)
—peanut, *Rhizoctonia* interaction, 598
—*Trichoderma* and *Sclerotium* interaction, specific recognition, 458, (459)
Lee, E. H., 472
Lee, F. N., 1291, 1340
Lee, I.-M., 1351, 1380
Lee, R. F., 145, 1311, 1312, 1323
Lee, T. S., 180, 636, 643
Legard, D. E., 1321
Legumes, bacterial blight of, disease evaluation, 1287
Lei, J. D., 1351
Leiner, R. H., 1333
Leininger, T., 626
Lemin, R. C., 1366
Lemon, sour rot of, injury resistance to *Geotrichum*, 174, (175, 177, 178)
Lennê, J. M., 1288, 1317, 1318
Lennon, A. M., 1258
Leonard, K. J., 274, 281, 930, 1141, 1310, 1342
Leptosphaeria korrae
—on bluegrass: fungicide effect, 1286; resistance, 967
—on turfgrass, necrotic ringspot, factors, 1160
L. nodorum
—grass hosts of, alternatives, 1295
—populations, virulence frequency, 1463
—on wheat, crop management, 538
Leptosphaerulina briosiana, spore germination, acid rain, 499
Lesemann, D.-E., 109
Leslie, J. F., 1375
Lespedeza, *Heterodera lespedezae* on, geographical isolates, 1304
Letter to the Editor
—rust virulence structure, 1079
—spore traps, volumetric, design comparison, 380
Lettuce, *Sclerotinia minor* of: frequency distribution analyses, 957; spatial pattern and density, 90
Lettuce big vein disease, double-stranded RNA association, 631, (634)
Lettuce mosaic virus, immunoassay for detection, 963
Leucaena, *Rhizobium* from, *Teramnus* inhibited by, 1363
Leung, W. C., 1357
Levick, D. R., 568
Levy, E., 1300
Lewis, J. A., 627, 812
Lewis, K. J., 625, 627, 1337
L'Hostis, B., 1325
Li, R. K., 1360
Liao, C. H., 1288
Libby, W. J., 1443
Lickl, E., 1102
Lillehoj, E. B., 1378

Lim, S. M., 199, 520, 786, 1309
Limonium sinuatum, clover yellow vein virus on, 899, (900, 905)
Lin, C. P., 848, 1350
Linda, S. B., 1263
Lindberg, G. D., 1350
Lindemann, J., 1343, 1361
Lindgren, P. B., 1320, 1355
Lindow, S. E., 1320, 1321, 1360, 1380
Line, R. F., 1121, 1317, 1369, 1383
Lipps, P. E., 1212, 1340
Lister, R. M., 212
Littlefield, L. J., 1314
Littrell, R. H., 501, 502, 1370
Liu, H.-Y., 1312
Liu, S. Y., 1282
Livingston, C. H., 1349
Llano, G. A., 1176
Lo, J.-Y., 501
Locke, J. C., 115, 1307
Lockhart, B. E. L., 109, 1094, 1258
Lockwood, J. L., 964
Lombard, F. F., 1294
Lommel, S. A., 964, 1292, 1358
Long, J. W., 1307
Long, M., 235
Long, R., 627
Lopez, C., 1288
Loranthus europaeus, on oak, peroxidase isoenzyme role, 1102, (1103)
Lorbeer, J. W., 1315, 1329, 1347
Loria, R., 1305, 1362
Loschke, D. C., 967
Loughner, D. L., 1308
Louie, R., 870, 1354
Love, C. S., 1296
Lozano, J. C., 1177, 1178
Lucas, J. A., 1222
Lucas, L. T., 504
Luley, C. J., 1323
Lumsden, R. D., 774, 1307
Lunden, J. D., 1370
Lupine, Phytophthora root rot: bacteria for control, 1343; simulated acid rain effect, 996
Luttrell, E. S., 407, 950
Lutz, A., 1315
Lyons, P. C., 501

Maas, J. L., 438, 1382
MacDonald, D. H., 1366
MacDonald, J. D., 270, 1306
MacDonald, W. L., 624, 629, 1322
MacFall, J. S., 1364
Machado, C. C., 1297, 1303
MacHardy, W. E., 381, 856
MacKenzie, D. J., 1208
MacKenzie, D. R., 501, 1319, 1342
Macko, V., 1302, 1303
Macrophomina phaseolina
—on chickpea, complex with root fungi, 1146
—chlorate resistance in, sources, 1375
—microsclerotial population, regression model for, 1348
—sclerotial exudates, soil factor, 1282
—in soil: field distribution, 966; populations, crop sequence effect, 967, 1348
—on soybean, histopathology, 1303
Madden, L. V., 165, 611, 700
Maffia, L. A., 1280
Magarey, P. A., 1252
Maher, G. T., 1280
Mahoney, M. J., 679
Main, C. E., 1278, 1284, 1341
Maize (see also Corn)
—*Bipolaris maydis* interaction, nuclear RNA polymerase alteration, 1313
—leaf spot of, resistance inheritance, 1310
—root-cap cells, papilla formation, *Colletotrichum*, 1314
Maize chlorotic dwarf virus, distribution and hosts, South Carolina, 1318
Maize chlorotic mottle virus: characterization, 1292; concentration in corn lethal necrosis, 1357
Maize dwarf mosaic virus
—adaxial leaf surface inoculation, 1311
—on corn inbreds, genetic basis, 1311
—detection by immuno-blot, 1357
—on grasses, native, infectivity, 965
—inbred response to, 1354
—movement, strains, host interaction, 1292
—purification using ELISA, 1356
—on sorghum, virus titer factors, 1132
—strain A, in South Carolina, 1318
—strains: differentiation, technique, 1323; capsid protein weight analysis, 1357
—on sudangrass: reaction, 504; resistance to A and B strains, 1337
—on sweet corn, rust relation, 965
Maize mosaic virus
—assembly and morphology, Hawaiian isolate, 1167, (1169-1171)
—serological detection and multiplication in plant hopper, 852
—vector interaction in plants, 1324
Maize rayado fino virus: Bermuda grass etched-line virus relation, 1258; ecology, 1177
Maize stripe virus
—capsid proteins in infected plants, detection, 1358
—inclusion types, 84, (85-88)
—rice and *Echinochloa* virus compared to, capsid and noncapsid protein comparison, 1291
—vector interaction in plants, 1324
Maize white line mosaic virus, satellite-like virus particle association, 870, (872)
Majerczak, D., 1326
Malek, R. B., 1304
Malkawi, H. I., 1376
Mallett, K. I., 1278, 1339
Maloy, O. C., 1296
Manandhar, J. B., 704, 1297, 1317
Mandevilla sp., virus disease of, new, 1359
Mandl, R. H., 1277
Manihot esculenta, seedborne pathogens of, control, 1178
Manion, P. D., 674
Manji, B. T., 1329
Mankau, R., 1344
Manning, W. J., 1188
Manuscript preparation, author's guide, 5
Maple, wound response of bark, periderm formation, 1191
Margosan, D. A., 1285
Mariano, R., 1381
Marjudin, K., 1383
Marois, J. J., 115, 774, 957, 1315, 1319, 1328, 1329, 1333
Marosy, M., 1321
Marsh, S. F., 1282
Marshall, D., 1319
Marshall, H. G., 1337
Marssonina panattoniana, on lettuce, inoculum source and survival, 1319
Martin, E. M., 1356
Martin, F. N., 1327
Martin, M. J., 412, 419
Martin, S. B., Jr., 499, 501, 1277
Martin, S. L., 965
Martins, E. M. F., 1372
Martos, A., 965
Martyn, R. D., 502, 1304
Matheron, M. E., 970, 973, 997
Mathieson, J. T., 1384, 1385
Mathieson, T. M., 1385
Matsubara, D., 1360
Matsumoto, T. T., 1339, 1365
Matsuoka, M., 1125
Matteoni, J. A., 355
Matthysse, A. G., 1355
Matyac, C. A., 577, 924
Mau, R., 1287
Mauk, P. A., 1297
Maxwell, D. P., 1362
May, B., 1309
Mayama, M., 1321
Mazar, S., 1301
McCain, A. H., 1379
McCammon, S., 1380
McCarter, S. M., 502, 1381
McCarter-Zorner, N., 1360
McCloud, P. I., 1252
McCraney, S. A., 1277
McCue, K., 1297
McDaniel, L. L., 1167
McDaniel, L. R., 1245
McGawley, E. C., 1284
McGee, D. C., 962, 1332
McGovern, R. J., 1306
McGuire, J. M., 498
McGuire, R. G., 1362
McInnes, T. B., 1288
McKenzie, D. L., 1363
McLaren, D. L., 1328
McLaughlin, M. R., 1359
McLaughlin, R. J., 1178
McLennan, R. E., 1307
McMaster, B. J., 1360
McMillian, W. W., 1282
McMullen, M. P., 1364
McNabb, H. S., Jr., 1323
McPherson, S. A., 1360
McRoberts, R. E., 1338
McVey, M. A., 1365
Meagher, M. D., 1295
Meckenstock, D. H., 1341
Medina-Filho, H., 1354
Meier, S., 1338
Meili, J., 1302, 1303
Melampsora lini, virulence and avirulence in, mutations, 771
Melanin, pentaketide metabolites of, analysis by reverse phase HPLC, 1384
Melching, J. S., 1371
Mellano, M. A., 1326
Meloidogyne spp., on soybean and tobacco, control in Florida, 1177
M. arenaria, *Gliocladium* on, biocontrol, 1179
M. incognita
—on chile pepper, yield loss from, 1304
—nematicide and herbicide effect, 502
—population density and soil factors, 247
—on sweet potato, factors, 1363
Melon leaf curl virus, serological variation, 1312
Melouk, H. A., 1318, 1327
Menge, J., 1315
Meredith, C. P., 1350
Merrill, W., 626, 630
Mew, T. W., 1300, 1316
Meyer, F. W., 74, 1304
Meyer, T. R., 1279
Meyer, W. L., 386
Mibey, R. K., 1280
Micales, J. A., 627, 1222, 1339
Michailides, T. J., 1285
Micinski, S., 1340
Microbiospora spp., on apple roots, etiology, 1290
Microdochium bolleyi, on wheat, parasitism and senescence relation, 1290
Middleton, G. E., 1374
Midland, S. L., 1302
Mihuta, L. J., 1332
Miles, M. R., 1365
Milgroom, M., 1329
Milholland, R. D., 500
Millar, R. L., 1387, 1393, 1398
Miller, F. R., 504, 1337
Miller, J. D., 1317
Miller, J. W., 501
Miller, M. E., 1175, 1287
Miller, O. K., 628
Miller, S. A., 1354

Miller, W. W., 1366
Millikan, D. F., 966
Mills, D., 104, 1381
Mills, E. A., 1317
Mimosa, stripe chlorosis of, ultrastructure and cytochemistry, 1356
Mink, G. I., 287, 325, 1352
Minobe, Y., 1125
Minor, H., 1282
Minton, N. A., 1346
Mircetich, S. M., 48, 221, 648, 970, 973, 997, 1346, 1451
Mirelman, D., 458
Mirkov, T. E., 631
Mirocha, C. J., 1283
Misaghi, I. J., 366, 1297
Mitchell, D. J., 833, 1289, 1318, 1447
Mitchell, J. E., 68, 1346
Mitchell, W. C., 1287
Mitra, A., 1292
Mizumoto, C. Y., 722, 1289, 1352
Moates, R., 1341
Moayeri, A., 1343, 1361
Modawi, R. S., 573
Model
—Boolean algebraic approach, 963
—computer, foliar biocontrol agents, 1343
—cubic, parasite:host:environment specificity, 1376
—decision, apple disease control, 1342
—disease progress, latency and lesion expansion in plants, 792
—durability of resistance, 749
—EPIMUL, modification of using rust, 1370
—foliar disease and bacterial pathogens, 505
—foliar epidemics, computer-simulated, plant mixtures, 1341
—Gregory's, modification for plant disease gradients, 930
—peanut and fungicide spray, 1370
—potato early dying syndrome, 1370
—Septoria tritici blotch on wheat, weather-based prediction, 1245
—soilborne fungi on hosts, 61
—wheat growth, disease loss measurement, 1371
Mogen, B. D., 1378
Mohamed, F., 965
Mohamed, N. A., 79
Mohan, S. K., 1351
Molecular genetics, transposon mutagenesis, with *Pseudomonas syringae*, 104
Moline, H. E., 549, 627
Momol, M. T., 1280
Monayer, L. O., 1291
Monilia fructicola, spore quality, glucose effect, 1285
M. laxa, benomyl resistance, parasitic fitness, 1329
M. roreri
—on cacao, cluster analysis in resistance, 1176
—growth and sporulation, factors, 1178
Monis, J., 502
Monoclonal antibodies, southern bean mosaic virus application, 1208
Montllor, C. B., 1358
Moore, D. L., 1311
Moore, L. D., 627, 628, 679
Moore, L. W., 1363
Moore, M. B., 1181
Mora, B., 1178, 1179, 1180
Moraes, W. B. C., 1372
Morales, A., 1178
Morales, F. J., 1292
Morales, V. M., 767
Morgan-Jones, G., 1178, 1179
Morimoto, K. M., 709, 1217
Morrell, J. J., 329
Morris, T. J., 361, 1334, 1335, 1351
Morrison, D. J., 1295
Morton, J. B., 623
Moscow, D., 1360
Moss, M. A., 1341
Motsinger, R. E., 1304
Mott, R. L., 1130
Mowry, T. M., 1350
Moyer, J. W., 201, 628, 1336, 1349, 1359
Muchovej, J. J., 1286
Mucor piriformis, on pear, propagule population, 1285
Mueller, W. C., 1364
Mughogho, L. K., 1374
Mulberry, wound response of bark, periderm formation, 1191
Mullen, J. B., 1377
Müller, W. J., 337
Mullin, B., 1305
Mullin, R. H., 1335
Mundt, C. C., 607, 930, 1141, 1342
Mungbean, diseases of after rice, chemical control, 1300
Munnecke, D. E., 1291
Murakishi, H. H., 1349, 1359
Murphy, J. F., 1356
Murray, J. J., 1286
Murray, T. D., 1328
Muskmelon
—Fusarium wilt of, effect of cucumber beetle larval feeding, 209
—potyviruses of, aphid transmission, specificity, 890
—watermelon mosaic virus II on, resistance to, 201
Mustika, I., 1315
Mycena citricolor, on coffee, calcium crystals, 1374
Mycoherbicide (see Biological control)
Mycophagous vampyrellidae, on tobacco, frequency in soil, 1281
Mycoplasma-like organisms
—ash yellows, white ash decline from, 355, (357-359)
—aster yellows, plant growth regulators, 499
—in periwinkle, metabolic changes, 1350
—X-disease, detection using DNA, 1351
Mycorrhizae
—apple, black locust, corn, fescue, red clover, dependencies, 623
—native, host-soil combination, 623
—on pine seedlings, ozone and SO_2 effect, 679
—on prairie grasses and forbes, 1284
—on strawberry, methyl bromide effect, 626
—vesicular-arbuscular, copper effect on, citrus, 1284
Mycosphaerella fijiensis
—on bananas, benomyl for, 1177
—new sterol inhibitor for control, 1179
M. graminicola, virulence frequency, 1456
M. populorum, on poplar, ascospore productivity, 1323
Mycotoxin (see also Phytotoxin, Toxins)
—aflatoxin, in corn: accumulation in ear, irrigation and tillage effect, 1283; factors affecting, 1282
—deoxynivalenol, in *Fusarium*-infected wheat, 1283
—T-2 and ochratoxin, monoclonal antibody screening, 1298
—trichothecenes, in *Baccharis*, 623
Mycotrophy, successional history, site effect, 1284
Myers, D. F., 665, 670
Myers, D. K., 1384
Myriogenospora atramentosa
—on bahiagrass, carbohydrate translocation, 407, (409)
—on grasses, parasitism, 950, (953-955)
Myrothecium roridum, on muskmelon, pathotoxin role of metabolite, 1378
Myzus persicae
—muskmelon virus vector, specificity, 890
—potyvirus transmitted by, particle number, 1324
Nachmias, A., 1303, 1365
Nagata, N. M., 1307, 1382
Nagle, M. E., 1282
Naik, D. M., 1299
Nameth, S. T., 1293
Napoli, C., 1354
Nault, L. R., 84, 1324
Nectria galligena, on black walnut, Michigan site factors, 1322
Neely, D., 1279
Neese, L. A., 1345
Nelsen, C. E., 1307
Nelson, B., 1333
Nelson, D. L., 1368
Nelson, D. W., 1282
Nelson, P. E., 322, 741
Nematodes, population density and edaphic factors, spatial variation, 247
Nemec, S., 1383
Neovossia spp., teliospore sheath and exospore of, electron microscope study, 1339
N. horrida, teliospore variation, 1365
Nesmith, W. C., 1182, 1315, 1341
Nevill, J. R., 1347
Newman, R. C., 967
Newsom, L. D., 1362
Ng, O.-C., 297
Ng, T. J., 1378
Nguyen, P. V., 1294
Nguyen, T. K., 446
Niblack, T. L., 502
Nicholls, T. H., 1338
Nicholson, R. L., 654
Nicot, P. C., 1280
Niepold, F., 1381
Niessen, A. I., 1292
Nilaparvata lugens, rice grassy stunt virus vector, 894
Nishijima, K. A., 683
Nishijima, W. T., 1308
Noe, J. P., 247
Nolasco, R., 1341
Nolte, P., 1379
Nordheim, E. V., 505
Norman, B. L., 686, 1369
Northern cereal mosaic virus, ELISA for detection, composition, 453
Norton, J. D., 1178
Novacky, A. J., 964, 1321
Nuss, D., 1356
Nutrition
—*Bipolaris maydis* race T, growth and sporulation, 138
—mineral, Fusarium yellows of celery, 40
Nutter, F. W., Jr., 502, 603, 1369, 1370
Nwachuku, N. U., 627
Nygaard, S. L., 1345
Oak
—chestnut, tree-ring analysis, 627
—English, *Loranthus europaeus* on, isoenzyme role, 1102, (1103)
—leaf tatter of, unknown cause, 963
—red, rainfall and throughfall chemistry, 626
—white, flux, bacterial association, 1368
—wound response of bark, periderm formation, 1191
Oak, S. W., 1368
Oat blue dwarf virus, other virus relations, properties, 1258
Oats
—crown rust: multiline effect, epidemiology, 607; spread in cultivar mixtures, 1141
—Pyrenophora leaf blotch, rate limiting resistance, 1337
—rust of: disease gradients, 930; resistance to, transfer from wild oats, 314
Obituaries: A. H. Gold, 876; Dennis Heeley Hall, 875; Leo Joseph Klotz, 253; Francis Alexander Laviolette, 969; Matthew Bowie

Moore, 1181; George Herman Starr, 379; Dewey Stewart, 39
O'Brien, M. J., 39
Odvody, G. N., 1300
Ogawa, J. M., 1277, 1329, 1330
Ohki, S. T., 1357
Okie, W. R., 1359, 1375, 1376
Okon, Y., 940
Olah, A. F., 542, 546, 1366
Oldfield, G. N., 1380
Oleson, A. E., 1378
Olive, J. W., 502
Olsen, M. W., 1329
Olson, R. L., Jr., 627
Omura, T., 894, 1125
O'Neill, N. R., 1286
Ong, C.-A., 1352
Onion
—Botrytis blight, species interaction, 1315
—foliar diseases, spray methods for control, 1307
—leaf blight, prediction system, 1284
—purple blotch of, leaf wetness monitoring, 1175
—white rot, iprodione for, application technique, 1345
Onyeise, F., 1375
Ooka, J. J., 1316
Ophiomyia simplex, on asparagus, stem rot association, 1188, (1189)
Orange, *Diplodia natalensis* in rind of, polygalacturonase inhibition, 446
Orr, P., 1289
Osburn, R. M., 1333
Osman, Y. A., 1263
Osmeloski, J., 1318, 1329
Ostrofsky, W. D., 1366
Otrosina, W. J., 1368
Otto, M. E., 1286
Oudemans, P., 1345
Ouimette, D., 1330
Overton, S. V., 628
Overton, W. S., 1370
Owensby, C. E., 1284
Ozmon, E. A., 964

Pacumbaba, R. P., 1295, 1336
Palmer, M. A., 1338, 1364
Palomar, M. K., 965, 1132, 1156, 1292
Palukaitis, P., 1334
Panopoulos, N. J., 1320, 1355
Papavizas, G. C., 560, 627, 729, 812
Papaya ringspot virus, strain W, on muskmelon, aphid transmission, 890
Park, E. W., 520, 786
Parker, P. E., 1301
Partridge, J. E., 1371
Paschke, M., 1379
Paspalum notatum, *Myriogenospora atramentosa* on, carbohydrate translocation, 407, (409)
Pastor Corrales, M., 1178
Pastor Corrales, M. A., 1175, 1176
Pataky, J. K., 964, 965, 1336, 1341
Patil, S. S., 1309, 1313, 1316, 1355
Patterson, C. L., 1319
Patton, R. F., 1321
Paul, C. P., 1325
Paulitz, T., 1326, 1333
Pawar, M. N., 1374
Pawlosky, R. J., 1283
Paxton, J. D., 1337
Payan, L. A., 502
Payne, G. A., 1282, 1283, 1298, 1310, 1340
Pazur, C. J., 965
Pea
—*Fusarium solani* of, chitosan effect, 1303
—Fusarium wilt, field test, 1377
—*Pseudomonas* race specific interaction, *Fusarium* mRNAS, 1308
Pea seedborne mosaic virus, detection, seed extract effect, 1352
Peach
—bacterial spot, detached-leaf bioassay, 1060, (1061)
—Cytospora canker of, borer effect, 623
—fungal gummosis in trees, resistance, 1376
—indexing for RNA virus, 1323
—wound response of bark, periderm formation, 1191
Peach rosette mosaic virus, on Concord grape, spread by mulch, 624
Peacock, J. W., 1308
Peanut
—dichloran, iprodione, and vinclozolin persistence in vine, 623
—late leaf spot of: age effect on resistance, 1336; resistance and fungicides for, 1337
—leaf spot: advisory program, progress, 628; resistance in, disease management, 503; simulation model, 626
—ozone injury in, plant effects, 429
—*Rhizoctonia solani* on, lectin interaction, 598
—yield of, fungicide effect, 501
Peanut mottle virus
—genome mapping, translation, 1334
—genotype effect, phytomass, 1318
—monoclonal antibodies, production of, 1358
—serology and cytology, 1334
—on soybean, inheritance, 628
Peanut stripe virus: occurrence in Virginia, 629; ultrastructural cytology of infected peanut, 1311
Pear
—leaf and fruit spots of, physiology of fungus, 94
—*Penicillium expansum* on, control strategy, 877
—side rot of, benomyl effect, 1285
Pearson, C. A. S., 1375
Pearson, R. C., 1342
Pecan
—angular leafspot of, in Alabama, 1277
—juglone in tissues of, 1419
—scab of: infection factors, 190; leaf and nut infection, 1369
—vein spot disease, defoliation caused by, 1342
Pedersen, W. L., 1277, 1346
Pederson, G. A., 1359
Pederson, V. D., 502, 603
Peer, S., 1377
Peet, R. C., 1320, 1355
Pelosi, R. R., 1369
Penicillium spp., on corn kernels in storage, damage effect, 1137
P. expansum
—on apple, benomyl resistance in, 74
—on apple and pear fruit, control strategy, 877
P. oxalicum, biocontrol agent, alginate-clay matrix for encapsulation, 774
Pennypacker, B. W., 1304
Pennypacker, S. P., 1371
Pepin, H. S., 1301
Pepper (see also *Capsicum* spp., *Piper nigrum*)
—*Colletotrichum* on, 500
—foliar diseases, spray methods for control, 1307
—potyviruses of, California isolates, 1349
—ripe rot of, fungicides for, 1346
—viruses: in California, 1311; in Georgia, 498
Percy, R. G., 463
Peregrinus maidis, on corn, maize mosaic virus vector, multiplication, 852
Perez-Serrato, T., 1319
Periconia circinata, on sorghum, toxin response, gene-specific, 1314
Peridermium yamabense, on *Pinus pumila*, cytology, 1279
Periwinkle, aster yellows of, phyllody remission by kinetin, 1381
Peronosclerospora spp.: aminopeptidase activity in, 627; differentiation by isozyme analysis, 1339
P. sorghi
—on corn, temperature effects, 122
—pathotypes, resistance inheritance, 1310
—on sorghum: pathotypes, resistance, 1077; spatial distribution, 1342
—spatial distribution, Morisita's index, 1370
—sporulation, other species comparison, 625
—worldwide isolates, virulence study, 1374
Peronospora hyoscyami, on tobacco, nontransmissibility of resistance via tissue culture, 1222
P. tabacina
—long-range inoculum transport, 1341
—from *Nicotiana* spp., virulence of endemic isolate, 1315
—spore mortality, ultraviolet effect, 510
—temperature tolerance of, 1341
—on tobacco, induced resistance, 1127, (1129), 1377
P. trifoliorum, on alfalfa: host-parasite genetics, 119; quantitative inheritance, 717
Perotti, L. E., 1296
Perry, C. R., 936
Persea indica, Phytophthora root rot, bacteria for control, 1343
Pesic, Z., 1311
Pesticides
—heavy metals in, deposition technique, 783
—zearalenone production affected by, in corn, 553
Pestka, J. J., 1298
Peters, R. N., 502
Peterson, C. M., 1360
Peterson, G. L., 122, 625, 627, 1309, 1339
Peterson, J. L., 1344
Peterson, R. E., 1312
Pettit, R. E., 1345
Pfeiffer, C. M., 1283
Pfender, W., 1340
Phaseolus vulgaris (see also Bean)
—anthracnose of, disease resistance mechanisms, 1176
—bacterial blight, resistance evaluation, 1032, (1034, 1035)
—Fusarium root rot, boron and iron amendment effect, 989
—multiple pathogen inoculations, detached leaves, 1362
—peroxidase isozymes from roots, 1372
—*Pseudomonas putida* on roots, hydroponic system, 992
—resistance to *Isariopsis griseola*, rate reduction, 1335
—root rot screening, infrared thermometry for determination, 840
—rust of: disease gradients, 930; extracellular protein association, 1073, *1468*; resistance to eight races, 1310; virulence changes after five generations, 449
—rust race-nonspecific resistance in, leaf characters, 478
—*Thanatephorus* and *Rhizoctonia* on, resistance, 1178
—*Thanatephorus cucumeris* on, fungicides for and losses, 1180
—white mold, canopy components, 1376
Phatak, S. C., 498
Phelps, P. L., 499
Phialophora graminicola
—on bluegrass, pathogenesis in root cortex, 1290
—on cereals, pathogenicity and temperature relation, 1290
—on turfgrass, factors, 1160
P. gregata, on soybean, Gregatin A from, 1312
Phillips, D. J., 1285
Phillips, D. V., 500, 503, 1156, 1295
Phillips, T. R., 1277
Phillips, W., 1178
Phipps, P. M., 623, 628

Phoma macdonaldii, on sunflower, filtrate effect, 963
Phomopsis spp.
—on soybean, seed quality resistance and environment effect, 797
—on soybean seeds: mixed fungal infection, histopathology, 489, (490); soil water potential effect, 1236
Phymatotrichum omnivorum, on cotton: genotype resistance, rate-limiting, 463; ideal plot size, 240
Phytoalexin
—elicitor detection, *Aspergillus* and bean assay, 1372
—glyceollin: in cotton leaf, profile, 1374; from soybean, 542; soybean resistance related to, 235
Phytomonas davidi, nutrition in media, 1380
Phytophthora spp.
—on azalea and boxwood, sodium hypochlorite effect, 625
—on cherry: crown and root rot from, 1347; pathogenicity and relative virulence of species, 221, (222, 224); soil water matric potential effects, 648, (650)
—irrigation sources, in California, 1346
—raspberry decline syndrome implication, 1347
—sporangia and zoospores of, soil salinity effect, 270
—on walnut: English, crown and root rot caused by, 977, (978, 979); flooding duration effect, 973, (974)
P. cactorum
—on apple, world collection, 1354
—detection and quantification, technique, 1346
—on strawberry: splash dispersal, 611; temperature and wetness duration, 165, 700
P. capsici
—metalaxyl-tolerant and phosphorous acid-tolerant, survivability, 1330
—oosporogenesis, 1375
—on pepper: disease progress, 1318; phosphite compound efficacy, 1330
—in soil, nature of suppression, 683
—on tomato, fosetyl-Al and phosphorous acid effect, 1064
P. cinnamomi
—on avocado, resistance to, 230
—on blue lupine, simulated acidic rain effect, 996
—on Fraser fir: rhizosphere width estimate, epidemiology, 1010; root colonization, epidemiology, 1004, (1007)
—life cycle, phosphorous acid and fosetyl-Al effect, 1042
P. citricola
—life cycle, phosphorous acid and fosetyl-Al effect, 1042
—on walnut, seasonal variation in resistance, 970
P. cryptogea
—on cherry, flooding effect, 1451, (1455)
—on peach, collar rot association, 626
P. fragariae, strawberry resistance to, 500
P. infestans
—acid rain effect, 501
—fosetyl-Al and metalaxyl efficacy, 1384
—isolates, field assessment of fitness, 982
—isozyme analysis, single-oospore cultures, 1309
—mycelial lipids in, arachidonic acid, 1297
—on potato: fungicides for, 1175; hypersensitivity, 1312
—single-oospore cultures, characterization, 1309
—spore germination, acid rain, 499
—survival in tomato seeds, 375, *748*
—virulence and fitness, populations, 1319
—zoospore germination, metalaxyl effect, 630
P. lateralis, on Port-Orford-cedar, soil survival, 1322
P. megasperma
—on alfalfa: competitive colonization in soil, 1393; metalaxyl-insensitive isolate, 1387, (1389); propagule survival potential, in soil, 1398, (1400); variability, 390
—on cherry, flooding effect, 1451, (1455)
—on soybean: control by metalaxyl, 865; oospore germination, factors, 1315; resistance allele, new, 690; root rot and glyceollin accumulation, 542; tolerance, growth chamber test, 546; virulence variation in, 371
—sporangenesis inhibited by *Trichothecium*, 1327
P. palmivora, phosphorous acid resistant strains, assessment, 1330
P. parasitica
—recovery from soil, heat effect, 1315
—soil matric potential, 1435, 1439
—soil type effect, 1439
—sporangium production, 1435
—on tobacco: inoculum density and infection, 1318; roots, inoculum production, 1347
P. phaseoli, on bean, cultivar evaluation, 1179
P. syringae, in almond, pruning wound cankers, 1369
Phytotoxin (see also Mycotoxin, Toxins)
—cercosporin, resistance to, 1298
—juglone in pecan, 1419
Pierce, A. R., 965
Pierce, L., 1379
Pierce's disease on grapevine: electron microscopy of, 264, (265-268); physiologic and pathologic characteristics in bacterial strains, 713
Pine
—fusiform rust of: cause, 1366; infection, histopathology, 1293
—loblolly: ectomycorrhizae of, acid rain effect, 1338; littleleaf disease prediction, 1368; ozone and SO_2 effect on mycorrhizae, 679; pitch canker of, seed infection, 1104, (1106, 1107)
—lodgepole, blackstain root disease, in British Columbia, 1295
—radiata, western gall rust, resistance, 1443, (1444)
—seedling susceptibility to *Phytophthora cinnamomi*, 1337
—sugar: blister rust of, in Sierra Nevada, 1367; Fusarium hypocotyl rot of, environment effect, 58
—*Verticicladiella procera* of, histopathology, 1337
—western white, blister rust, infection in tissue culture, 1130, (1131)
Pine bark beetle, fungus association, in South Africa, 1338
Pinus taeda, *Cronartium quercuum* on, detection with ELISA, 1336
Piper nigrum (see also Pepper)
—*Phytophthora* spp. from, variation in India, Indonesia, and Malaysia, 1315
Pirone, T. P., 1324
Pissodes fasciatus, on Douglas-fir, black stain association, 399
Pistacia vera
—mechanical injury, lesion from, 1277
—nutritional diseases of, 1084, (1087)
—Verticillium wilt, potassium nutrition, 1091
Pitrat, M., 890
Pitz, K. Y., 1382
Plasmids
—indigenous, in *Pseudomonas solanacearum*, 767
—*Xanthomonas campestris* pv. *citri*, 524
Plasmodiophora brassicae
—on broccoli, calcium, magnesium, and pH effect, 670
—on crucifers, factors in Salinas Valley, California, 665
Plasmopara viticola, on grape, detection with sampling procedure, 1252, (1253)
Platanus acerifolia, frost cracks, temperature relations, 1279
Ploetz, R. C., 503, 833, 1309, 1447
Ploper, L. D., 690, 965
Podosphaera leucotricha, on apple, leaf maturation and fungicide effect, 130
Poe, S. L., 628
Poinsettia, leaf, petiole, and stem lesion, *Alternaria* cause, 1306
Pollution, air
—acid rain: effect on corn and wheat, 1277; field crops affected by, 1277; open-top chambers, plants tested in, 1277; Phytophthora root rot of lupine, 996
—ozone: black cherry seedlings, 627; injury in national parks, 624; oxidation injury, potato and early blight, 529; peanut affected by, in field, 429; soybean yield affected by, moisture factor, 472
—ozone and acid rain, on yellow poplar, 624
—ozone and SO_2, on pine, mycorrhizal relation, 679
—SO_2, on pine, leaf injury, 624
Ponz, F., 1377
Pool, R., 1323
Popham, T. W., 1318
Populus grandidentata, ectomycorrhizae on, coal mine refuse, 625
P. tremuloides, Hypoxylon canker of, host-pathogen interaction, 674
Porras, V. H., 1178
Postharvest diseases, corn, storage and *Aspergillus repens*, 965
Postharvest pathology
—corn grain storage, fungicide treatment, 1346
—*Geotrichum* on lemon fruits, resistance of injury to, 174, (175, 177, 178)
—peach brown rot, *Bacillus subtilis* biocontrol, 1285
—pear fruit decay, inoculum concentration relation, 1285
—*Penicillium expansum* on apple and pear, control strategy, 877
—sunflower seeds, heat damage and fungi relation, 142
Potato (see also *Solanum* spp.)
—bacterial soft rot, reduction by tuber colonization, 1327
—black scurf and stem canker, biological control, 560
—chip darkening in processing, purple top as cause, 1289
—early blight and ozone effect, 529
—early dying of: 68; nematode and *Verticillium* relation, interactions, 419; *Verticillium* and *Pratylenchus* relation, 412, (413); *Verticillium* spp. relation, 1279
—*Erwinia* and insect relations, in Costa Rica, 1177
—foliage diseases, multiple pests and yield relation, 1300
—leafroll vectors, in Colorado, 1349
—multiple disease resistance, in *Solanum* spp., 1288
—pest population interaction, yield effect, 1300
—Phytophthora late blight, field assessment of isolate fitness, 982
—*Pratylenchus* spp. on, population density and distribution, 1305; water relation and host tolerance, 1305
—rotation crop effect, 1282
—seedpiece treatment, *Pseudomonas* against bacterial wilt and brown rot, 1178
—soft rot and necrosis, calcium relation, 1379
—*Verticillium* filtrates, comparative response to plants and callus, 1377

—*Verticillium* of, yield loss and inoculum dose, 1343
—Verticillium wilt of: environment and infection pattern, 962; rhizosphere bacteria relation, 1301
—wart disease of, severity and stress, 817
Potato spindle tuber viroid: DNA for detection, 1357; resistance to, 1432
Potato virus S, resistance to, 625
Potato virus X, somaclonal variants in potato, 1349
Potato virus Y, strains, monoclonal antibodies, 1356
Powell, C. A., 1348
Powell, C. C., 1345
Powell, W. A., 1324
Powell, W. M., 1304
Powers, K., 1285
Pratylenchus hexincisus, on corn, anthracnose relation, 654
P. penetrans, on potato, *Verticillium* relation: 68; early dying, 412, (413)
Prescott, J. M., 1456, 1463
Preston, D., 1289
Price, M., 1308, 1350
Proebsting, E. L., Jr., 1320
Proffer, T., 965, 1294
Prunus spp., physiological disorder, virus resemblance, 1359
P. besseyi, pathogen free stock, propagation, 966
P. salicina, leaf scald, suppression by oxytetracycline, 1381
Prunus necrotic ringspot virus
—apple mosaic virus reactivity, monoclonal antibodies, 1353
—on cherry, biophysical characterization, 1352
—peach tree canker association, 1348
Prusky, D., 877, 1302
Pseudocercosporella herpotrichoides, on wheat, benzimidazole stem treatment, 1328
Pseudomonas spp.
—fluorescent on yucca, root rot control, 1177
—*Fusarium* spp. affected by, carbon and iron competition and suppression, 1053
—polymorphism in, siderophore-related, 1361
—siderophore-producing, *Fusarium* chlamydospore germination effect, 1047
—on tobacco, hypersensitivity, 1270
P. cepacia, biocontrol agent, alginate-clay matrix for encapsulation, 774
P. corrugata, transposon induced mutants of, 1325
P. fluorescens
—antibiotic biosynthesis in: genetic analysis, 1343; regulation, 1325
—antifungal mechanism in, ammonia, 1360
—fungistatic agent from, siderophore distinction, 1325
—ice nucleation gene analysis, 1325
—macerating factor, cloning of, 1321
—plant growth promotion by, bioassay, 1360
—strains and derived mutants of, antifungal properties, 1343
P. putida, on bean, root colonization and hydroponics, 992
P. savastanoi, IAA-lysine gene in, characterization and role, 1325
P. solanacearum
—plasmids in, indigenous, 767
—survival in soil, antagonists and matric potential, 1182
—on tomato roots, bacterial antagonism, 254
P. syringae
—on bean: molecular analysis of virulence-related sequences, 1381; selective media for, 1351; source and control, 1321; virulence mutant, hypersensitivity, 1355; whole plant comparison, 1377
—conjugative plasmid of, phage sensitivity, 1321
—copper resistance in, plasmid-mediated, 1325
—hydrophobicity and charge, 1414
—ice nucleation activity, *ice* gene, 1380
—ice nucleation bacteria: on apple and peach, 502; characteristics, 1320
—incompatibility gene, race specific, 1354
—lipid peroxidation involvement, hypersensitivity, 1321
—molecular analysis, ice gene, 1320
—mutants of, auxotrophic, 104, (106)
—pathogenicity and hypersensitivity, cloning and gene analysis, 1355
—pathogenicity specific genes, characterization, 1320
—recA⁻ strain, characterization, 1355
—on snap bean, wild clover isolates, 1362
—on soybean: glyceollin and resistance relation, 235; hypersensitive response, 1355; soil populations, 520, (521)
—on sunflower, photomorphogenic effects, 1351
—syringomycin production mutants of, cause, 1325
—tabtoxin production, role, 1373
—on tomato: cutinase and pectic enzyme detection, 940; and weeds, electron microscopy observation, 1381
—tox⁻ mutant, functional complementation, 1355
Pseudoperonospora cubensis
—on cantaloupe, fungicides, 1287
—on *Cucumis melo*, reaction type 4, 1378
—on muskmelon, resistance, 504
P. humuli, on hops, sporangium production, temperature and humidity effect, 127
Puccinia cacabata, on cotton, sterol-inhibiting fungicide for, 1384
P. canaliculata
—on nutsedge, herbicide effect, 623
—on weed hosts, biocontrol, 498
P. chondrillina, skeletonweed affected by, 1328
P. coronata, on oats
—cultivar mixture effects, 1141
—defeated gene demonstration, seed weight relation, 1316
—disease gradients, 930
—field resistance transfer, 314
—multiline cultivar, epidemiology, 607
—tolerance related to spore yield, 1296
P. dichondrae, on dichondra, in California, 1382
P. graminis
—on barley, resistance, 1108
—virulence structure, letter to editor, 1079
—on wheat: disease, yield, and plant number in mixture, 1300; isozyme structure, 907, 1068; population size, host resistance, virulence variation rate, 749; spectral radiometer monitoring, 936
P. graminis and *P. coronata*, extrahaustorial matrix, cytochemistry, 1303
P. helianthi, on sunflower, four races, 1365
P. heterospora, on *Anoda cristata*, epidemiology, 1302
P. melanocephala, on sugarcane, resistance inheritance, 1382
P. polysora, on corn, growth and yield effect, 1371
P. recondita
—virulence, mutations affecting, 565
—on wheat: bacterial effect on uredia, 1365; inheritance, 636, 643; isozyme and virulence diversity, 907; reduced receptivity, 573, *1078*; transgressive segregation, 643; ultrastructure of leaf cells, 1350
P. sorghi
—on corn, disease gradient, 930
—sweet corn resistance, 964
P. striiformis, on wheat: pectral radiometer monitoring, 936; temperature and adult-plant resistance, 1121; virulence, evolution, and distribution, 1369
Pueppke, S. G., 598, 964
Puffinberger, C. E., 423
Puhalla, J. E., 1347
Pujimoto, T. T., 1278
Punja, Z. K., 1287, 1290
Purcell, A. H., 1351
Purcifull, D. E., 499, 1177, 1334
Purdy, L. H., 1278, 1280
Purshia tridentata, seedborne fungal pathogens, 1368
Pusch, D. J., 1283
Pusey, P. L., 1285, 1359, 1375, 1376
Pyrenochaeta glycines, on soybean, in Zambia, 1299
Pyrenophora teres, on barley
—barley yellow dwarf virus relation, freezing resistance, 624
—resistance: inheritance, 967; genotype screening, 603
P. tritici-repentis
—on *Bromus inermis*, 1314
—growth and sporulation, fungicide-amended media, 1308
—pseudothecia of, production in straw, 1369
—on wheat: host response procedure, 686; straw, overwintering population, 1340
Pyricularia oryzae
—computerized forecasting system for, 1319
—mycoviruses from, RNA banding patterns, 1177
Pythium spp.
—on feeder roots: 1112; isolation methods, 1333
—microbial antagonists, in compost amended container media, 1344
—propagule density, tillage effect, 1447
—on wheat, comparative pathogenicity in Pacific Northwest, 821
P. aphanidermatum
—propagule formation, atmosphere effect, 1297
—in soil, bioassay, 1242
P. aphanidermatum and *P. dissotocum*, on spinach, temperature effect, hydroponics, 333, (335)
P. myriotylum, on taro, root and corn rot, 1316
P. nunn, biocontrol agent, *Pythium* mycoparasite, 1326
P. oligandrum, fungicide tolerant isolates, selection, 1327
P. ultimum
—on cucumber, in containers amended with composted bark, 1361
—residue and tillage effect, pea-wheat rotation, 1301

Qayoum, A., 1121, 1369
Quick, J., 1348
Quinett, M. P., 1321
Quinn, J. A., 1278

Raabe, R. D., 1306, 1382
Radcliffe, E. B., 1300
Radish
—ozone and acid rain effect, 627
—*Rhizoctonia* damping-off, biocontrol agents for, 812
—scab, etiology and control, 568, (570)
—seed injury, cotyledon lesions from, 1331
Rahimian, M. K., 1346
Raid, R. N., 1371
Raju, B. C., 501, 1305
Ramig, R. E., 1301
Ramirez, W., 1179
Ramirez-Villapudua, J., 1291
Ramsdell, D. C., 624, 709, 1217, 1324
Ramularia tulasnei, spore germination and sporulation, temperature response model, 1318

Rand, R. E., 1335
Randhawa, P. S., 254, 1060, 1328, 1381
Rane, K. K., 1306
Rao, A. L. N., 1357, 1358
Rao, D. V., 1374
Rasmussen, J. B., 1313
Rasmusson, D. C., 967
Raspberry, crown gall on, clones resistant to, 1289
Ravenscroft, A. V., 533
Ravet, F. W., 936
Rawlings, J. O., 593
Raymond, P. J., 686, 1369
Rechcigl, N. A., 629, 1311
Recognition, specific, lectins in fungus interactions, 458
Red clover necrotic mosaic virus
—dsRNAs from, analysis, 1358
—serotype of, serology, 1357
Reddick, B. B., 1359
Redlin, S. C., 966
Reed, G. L., 209
Reed, K. L., 626
Reilly, C. C., 1359, 1375, 1376
Resistance
—avocado to Phytophthora root rot, 230
—barley: to net blotch, factors, 603; to stem rust, 1108
—beans: to bacterial blight, evaluation, 1032, (1034, 1035); to rust, race-nonspecific resistance, 478
—corn to southern corn leaf blight, race O, 1195
—cotton: to pathogenic bacteria, 515; to Phymatotrichum root rot, rate-limiting, 463
—durability of, wheat rust, 749
—extensin role, immunochemical methods, 1374
—muskmelon to watermelon mosaic virus II, 201
—*Solanum berthaultii* to potato spindle tuber viroid, 1432
—sorghum to downy mildew, pathotypes, 1077
—soybean: to *Phytophthora*, new allele, 690; to soybean mosaic virus, 199
—tobacco to blue mold: induced resistance, 1127, (1129); tissue culture, 1222
—wheat: durable, 636, 643; to leaf rust, 573, *1078*; to slow rusting, inheritance, 636, 643; to stripe rust, temperature effect, 1121
Reuveni, M., 1315
Reviewers, acknowledgment of, 1
Reynolds, K. L., 1352
Reynolds, K. M., 1004, 1010
Rhizobacteria, on apple rootstocks, growth promotion, 1290, 1291
Rhizobium japonicum, on soybean, nematode relation, 159, (160-163)
Rhizoctonia spp.
—microbial antagonists, in compost-amended container media, 1344
—on rye and soybean, tillage, 833
—suppression by nonpathogenic isolate, 1080
R. carotae, on carrot, infection, 1287
R. oryze-sativae, perfect state, 1384
R. solani
—on alfalfa: anastomosis group, 1314; pathogenicity, 1366; feeder rootlets, 1112
—anastomosis group: on rye and soybean, 833; six isolates from cereal, 1332
—biocontrol: on bean, 499; with *Trichoderma* and *Gliocladium*, 812
—collembola relation, biocontrol, 1360
—ecology in corn-peanut rotation, microplots, 1332
—herbicide effect: disease relation, 1363; on leakage, 964
—hypovirulent isolate, disease role, 1332
—on peanut: ecology in IPM, 1332; lectin interaction, 598
—on potato: biocontrol, 560; cropping history relations, 1333; disease interactions, 68; seed source and yield, 962
—plant growth response from, 1332
—propagules: monilioid, 1363; density, tillage effect, 1447
—on rice and tobacco, 1278
—sclerotial survival, soil solarization effect, 1291
—sclerotial distribution, in rice soil, 1340
—*Trichoderma* and *Gliocladium* as parasites, 627
—*R. zeae*, virulence variation in isolates, 504
Rhizoglyphus robini, on bulbs, fungus relation, 628
Rhizopogon vinicolor, elicitors, plant response to, 1283
Rhizosphere
—dimension of, models, 61
—Fraser fir, Phytophthora root rot, relation, 1010
—root surface agglutinin, biocontrol activity, 1360
Rhoades, M. H., 628
Rhoads, R. E., 1325, 1335
Rhodes, L. H., 1383, 1384
Rhododendron (see also Azalea)
—*Clavaria* sp. on, detection, 1364
Rhodotorula pilimanae, plasma membrane ATPase of, stimulation, 1381
Rhopalosiphum padi, barley yellow dwarf virus vector, transcellular transport, 292, (293, 295, 296)
Rhynchosporium secalis, on barley, race distribution in California, 1373
Ribonuclease, in beetle regurgitant, virus transmission determinant, 1324
Rice
—aggregate sheath spot, cultural practice effect, in California, 1340
—blast: development, irrigation effect, 1368; flooding-dependent resistance, 1342; seed treatment for, 1383; water management, 501
—disease development, nitrogen effect, 1365
—disease survey in Louisiana, 500
—germ plasm transfer internationally, techniques, 1331
—grain discoloration, in Colombia, 1176
—pecky kernels of, microorganism associated, 1340
—seed rot and seedling diseases, control methods, 1329
—sheath blight survey, Texas, 498
Rice dwarf virus, SDS-dissociated, antiserum reaction, 1125
Rice gall dwarf virus, polypeptide of, antiserum reaction, 1125
Rice grassy stunt virus, planthopper transmitted, circular filament, 894, (895-897)
Rice hoja blanca virus, maize and *Echinochloa* viruses compared, capsid and noncapsid proteins, 1291
Rice stripe virus, circular filament, serology, 894
Rich, J. R., 1177
Richard, C., 1364
Ridings, W. H., 1302
Riedel, R. M., 412, 419
Rigert, K. S., 1354
Riggs, R. D., 501
Riley, Y. D., 499
Rimmer, S. R., 1328
Rist, D. L., 1315
Ristaino, J. B., 625
Ritchie, D. F., 1298, 1375
Rivas, E., 1301
Rizzo, D. M., 1339
RNA
—citrus exocortis disease association, 946
—cucumber mosaic virus: profile, 751; separation, 758
—double-stranded: cytoplasmic hypovirulence, chestnut blight, 1405; lettuce big vein disease association, 631, (634)
Roane, C. W., 628
Roane, M. K., 39, 628
Roberto, N., 963
Roberts, D. A., 503, 1291
Roberts, D. L., 1289
Roberts, D. P., 628, 1326
Roberts, P. A., 1347, 1348
Roberts, R. G., 142
Robertson, J. A., 142
Robeson, D. J., 1280, 1336, 1377
Rocheford, T. R., 1378
Rochow, W. F., 914
Rodríguez M., R. A., 1177
Rodríguez R., J., 1179
Rodríguez, J., 1178
Rodríguez-Kabana, R., 1178, 1179, 1180, 1305
Roelfs, A. P., 449, 749, 907, 1068, 1108, 1299, 1300, 1317, 1341, 1370, 1371
Rohringer, R., 1303
Roistacher, C. N., 946
Romanow, L. R., 201
Romeo, C. J., 1355
Ronald, W. P., 467, 1208
Roncadori, R. W., 504
Rosenberger, D. A., 74, 1304, 1312
Rosenbrock, S. M., 966, 967, 1348
Rosenkranz, E., 1311
Rosner, A., 195
Ross, J. P., 305, 310
Rossi, A. E., 1177
Rotem, J., 510
Roth, D. A., 1321, 1335
Rothrock, C. S., 503, 1156, 1291
Rottinghaus, G. E., 1282
Rouse, D. I., 68, 505, 962, 1280, 1343
Rowe, R. C., 412, 419
Rowhani, A., 48
Roy, R. C., 429
Royer, M. H., 1365, 1371, 1428
Rufty, R. C., 1335
Runion, G. B., 1339
Ruppel, E. G., 1296, 1308
Rush, C. M., 240, 463, 1301
Rush, M. C., 501, 503, 1319, 1329, 1331, 1342, 1354
Russin, J. S., 1284
Rust
—urediniospores of, size and shape of 21 species, 1314
—on wheat, pathogenic recombinants through selfing and crossing, 1317
Rutherford, F. S., 371
Rye, tillage effect on *Pythium* and *Rhizoctonia*, 1447
Ryegrass, red thread and pink patch of, control, 1286
Rykard, D. M., 950
Ryno, R. N., 1307

Sacks, J., 1297
Sah, D. N., 503, 1354
Saha, D. C., 1331
Salmonella minnesota, hydrophobicity and charge, 1414
Sammons, B., 503
Samoucha, Y., 1384
Sams, C. E., 1373
Samson, R., 1132
Sanborn, M. R., 1358
Sander, E., 1353
Sanderlin, R. S., 1342
Sanders, R. L., 966
Sandler, H. A., 1312
Sands, D. C., 936
Sapra, V. T., 1336
Sarma, Y. R., 1315

Sasser, M., 438, 1281
Sasser, M. D., 1360
Sauer, D. B., 1378
Schaad, N. W., 254, 260, 1281, 1326, 1331, 1332, 1351, 1385
Schaeffer, D., 1312
Schafer, J. F., 749
Scharen, A. L., 936, 1456, 1463
Schechter, S. E., 1315
Scheffer, R. P., 1313
Schenck, N. C., 1283
Schertz, K. F., 1077
Schimmel, L. E., 1302
Schimming, W. K., 1314
Schlegel, D. E., 361, 876
Schlemmer, A., 946, 1321
Schlesselman, J. T., 1307
Schmidt, R. A., 1280
Schmitthenner, A. F., 165, 542, 546, 1361, 1366
Schnathorst, W. C., 318, 1301
Schneider, R. W., 40, 53, 58, 1347
Schreader, W., 1346
Schreiber, L. R., 963, 1308
Schroeder, D. B., 1306
Schroth, M. N., 1281, 1327, 1333
Schuh, W., 1342, 1370
Schwartz, H. F., 1296, 1321
Schweizer, E. E., 1296
Schwenk, F. W., 1375
Sclerotinia minor
—on lettuce: frequency distribution analyses, 957; spatial pattern and density, 90
—on peanut, fungicide persistence, 623
—*Penicillium citrinum* inhibitory to, 502
—sclerotial colonization by *Penicillium*, 1327
—sclerotial survival of, water potential effect, 217
S. sclerotiorum
—on alfalfa, crown and stem rot, 1333
—apothecial development, triazine herbicide effect, 1375
—ascospore germination, microclimate, 1369
—on cabbage, ragweed association, 1287
—on lettuce, control, 1383
—metham-sodium for, soil factors, 403
—sclerotia of, germination factors, 433, (435, 436)
—on sunflower, seedling test, 1333
Sclerotium spp., sclerotial formation in, nutrition and CO_2 effect, 1290
S. cepivorum, model for hyperparasitism, 61
S. rolfsii
—on apple: in Oklahoma, 499; sclerotial distribution in Oklahoma, 1363
—metham-sodium for, soil factor, 403
—*Trichoderma* interaction, lectins for recognition, 458, (459)
Scott, G. E., 1311, 1330
Scott, H. A., 502, 1324
Scott, J. W., 1281
Scott, R. B., 1383
Seck, M., 1299
Secor, G. A., 963, 1377, 1378, 1379, 1380
Seem, R. C., 1252
Sehgal, O. P., 965
Seibl, J., 1302, 1303
Semancik, J. S., 946, 1358
Semer, C. R., IV, 1305
Sengpiel, H. W., 1367
Septoria nodorum, on wheat, crop management, 538
S. tritici
—conidia of, discharge and survival, 180
—survival, UV effect, 1280
—on wheat: chemical simulation, 226; distribution, 1319; prediction, 1245; source-sink relations, 1354
Sequeira, L., 767, 1178
Serratia marcescens, chitinase in, gene encoding, cloning, 1360
Sexton, C. M., 1323
Seymour, R. S., 1366
Shadbush, wound response of bark, periderm formation, 1191
Shafer, S. R., 996
Shaffer, G. W., 966
Shaffer, W. H., 966, 967, 1281
Shaik, M., 478, 966
Shane, W. W., 1363
Shaner, G., 212, 636, 643, 1245
Shapiro, J. D., 1306
Sharp, E. L., 936
Sharp, W. L., 628
Shattock, R. C., 1309, 1310
Shaw, C. G., III, 1294
Shaw, J. C., 1335
Shaw, J. J., 1288
Shaw, P. D., 1321
Shehab Eldin, T. M., 1376
Shepherd, R. J., 48
Sherald, J. L., 1294
Sherwood, J. L., 503, 964, 1358
Sherwood, R. T., 1314, 1340
Shew, B. B., 1336
Shew, H. D., 1278, 1347, 1435, 1439
Shigo, A. L., 1316
Shillingford, C. A., 1179
Shirako, Y., 453
Shoemaker, P. B., 1361
Shohara, K., 894
Shokes, F. M., 503, 1295, 1309, 1337, 1370
Showers, D. W., 1339
Shrief, S. H., 1350
Sibara, M. M., 1292
Sidebottom, J. R., 1435, 1439
Sidhu, G. S., 1309
Siegel, M. R., 1286, 1315
Sifuentes, J., 1310
Silbernagel, M. J., 1352
Simcox, K. D., 1337
Simmons, K. E., 1379
Simons, M. D., 314, 1296, 1316
Sims, J. J., 1302
Sinclair, J. B., 185, 489, 704, 1297, 1299, 1303, 1317, 1327, 1331
Sinclair, W. A., 355
Singh, R. P., 1432
Singh, T., 185, 489, 704, 1303
Sinn, J. P., 499, 1277
Sipes, S. K., 1359
Sisler, H. D., 629
Sitterly, W., 1363
Skaria, M., 212
Skelly, J. M., 679
Skinner, D. Z., 119, 717
Skoglund, L. G., 1296
Skotland, C. B., 127
Skroch, W. A., 783
Slack, S. A., 1292
Smilanick, J. K., 1297
Smilanick, J. L., 1331, 1385, 1428
Smiley, R. W., 1160, 1290
Smith, B. J., 503
Smith, D. S., 1320
Smith, G. S., 504
Smith, J. A., 1374
Smith, K. L., 1366
Smith, K. T., 407
Smith, S. N., 1348
Smith, W. C., 1340
Sneh, B., 1080, 1332
Snow cover measurement, camera use, red pine infection, 1321
Snow, J. P., 498
Soderholm, P. K., 1278
Soilborne fungi: probability model for infection, 61; soil disturbance and NH_3 effect, 1282
Soilborne pathogens, metham-sodium for, soil structure and temperature relation, 403
Soilborne wheat mosaic virus
—inclusion bodies, virus protein effect, 1356
—properties, in Nebraska, 661
Soil matric potential, propagule exudation affected by, 1282
Soil salinity, *Phytophthora* spore production affected by, 270
Soil solarization (see Solarization)
Solanum spp., sesquiterpenoid phytoalexin production in, 1336
Solarization
—for nursery trees, postplant treatment, 1179
—suppressiveness induced in soil, 1291
Sonchus yellow net virus, genomic RNA of, sequence analysis, 1335
Sonoda, R. M., 1318, 1369
Sorensen, L. H., 1279
Sorghum
—Acremonium wilt of, in Honduras, 1341
—callus from, nodal plate-derived, protein synthesis, 1371
—downy mildew: resistance inheritance, 1077; yield loss in isogenic population, 1300
—maize dwarf mosaic virus on, virus titer factors, 1132
Sortland, M. E., 1366
Southern bean mosaic virus
—on bean, leaf protein, 965
—monoclonal antibodies as conformation probes, 1208
Soybean
—alfalfa hopper and disease relation, Louisiana, 1284
—anthracnose of: penetration and infection, 704, (705-707); seed infection and resistance, 1317
—bacterial blight of: disease progress and epidemiology, 786; field overwintering, 520, (521)
—brown stem rot of, moisture stress measurement, 1295
—*Cercospora* on seeds of, histopathology, 185, (186-188)
—chlorothalonil on leaf surface, deposition and retention, 1175
—cowpea chlorotic mottle virus on, resistance nature, 351
—crown rot and insect relation, in roots, 1284
—cyst nematode of: phytoferritin and starch in nodules, 159, (160-163); resistance to races 3 and 5, 1336; syncytia characteristics, 501
—cyst and root-knot nematode mixtures, cultivar effect, 1305
—*Diaporthe* and *Phomopsis* isolate identification, 500
—downy mildew of, resistance inheritance, 1309
—flooding effect on emergence, 1290
—*Macrophomina phaseolina* on, plant senescence as selection criteria, 1316
—*Meloidogyne* and *Heterodera* on, field performance, 1180
—mixed seed infections, histopathology, 489, (490)
—nodules of, phytoferritin relations, 1313
—ozone effect, soil moisture stress, 472
—*Phomopsis* on seeds: factors affecting, 1342; soil water potential effect, 1236
—*Phytophthora megasperma* on: new resistance allele, 690; virulence variation in isolates, 371
—Phytophthora root rot of: control by metalaxyl, translocation, 865; glyceollin accumulation, 542; growth chamber test, 546; metalaxyl interaction, 1345; resistance basis, 1337
—*Pseudomonas syringae* on, glyceollin and resistance relation, 235
—quality related to maturation rate, 965
—root rot, soil evaluation for disease severity, 1366
—seedcoat structure, infection and breeding factors, 1331
—seed mycoflora, tillage system and disease incidence, 1297

—seed quality, fungi affecting, genotypes and environment, 797
—southern stem canker of: tillage and cropping system effect, 1156; tillage effect, 503
—stem canker of: 498; current status, 503; vegetative compatibility groups, 1309
—tillage effect on *Pythium* and *Rhizoctonia*, 1447
—*Xanthomonas campestris* in leaves of, ultrastructure, 733, (735-739)
Soybean dwarf virus, strains of, vector relations, 1349
Soybean mosaic virus: plant growth affected by, 1349; soybean pubescence effect, 1348; soybean resistant to, 199
Spaine, P. C., 628, 1336
Specht, L. P., 629
Sphacelia typhina, on fescue, temperature effect, 501
Sphacelotheca reiliana, on corn: development factors, 577; histological development, 924, (925-929)
Sphaeropsis sapinea, in forest tree nurseries, inoculum sources, 1338
Sphaerotheca pannosa, sporulation, humidity effect, 1370
Spilocaea pomi, on apple, ultrastructure, 628
Spinach, Pythium root rot of, temperature effect, hydroponics, 333, (335)
Spiroplasma, honeybee strain, DNA virus, characterization and transfection, 1380
Spiroplasma citri
—antigenicity and surface labelling properties, 1350
—detection, serological dot-immunobinding, 1351
—isolation in serum-free medium, 1380
—monoclonal antibodies to: 848; characterization, 1351; specific protein detection, 1351
—plaque assay, in serum-free medium, 1380
Spore germination, ultraviolet effect, 510
Spore trap
—use in aerial remotely piloted vehicles, 801
—volumetric, design comparison, 380
Spores, self-inhibitor, gloeosporine, 386
Spotts, R. A., 1285
Spring beauty latent virus, bromovirus group, new member, 395, (396)
Spruce-fir decline
—in southern Appalachian Mountains, ecosystem decline, 1338
—subalpine site, root movement and injury, 1339
Spurr, H. W., Jr., 626, 1343
Squash mosaic virus, on muskmelon, seed-borne, 629
Stack, J. P., 1344, 1345, 1387, 1393, 1398
Stack, R. W., 964, 966, 1364, 1367
Stagonospora arenaria, on orchardgrass, resistance factors, 1340
Stall, R. E., 1307
Stanghellini, M. E., 333, 1242, 1314, 1334
Stanis, V. F., 1098
Stanosz, G. R., 1321
Stansell, J. R., 1332
Staples, R. C., 1073, *1468*, 1373
Stapleton, J. J., 1179, 1319, 1355
Starr, J. L., 498
Staskawicz, B. J., 235, 1354
Stasz, T. E., 1327, 1328
Statler, G. D., 565, 751, 1365
Stauffer, C. S., 1282
Stavely, J. R., 1310
Steadman, J. R., 966, 1179, 1369, 1376
Steele, J. L., 628
Stefan, S. J., 966
Steffenson, B. J., 1108
Stelzig, D. A., 625
Stemphylium botryosum, on alfalfa, toxin purification from, 1375
Stenger, D. C., 1335, 1351
Stenotaphrum secundatum, Rhizoctonia brown patch, pencycuron for control, 1329
Stephens, C. T., 1305, 1319, 1324
Steremnius carinatus, on Douglas-fir, black stain association, 399
Stevens, C., 1364
Stewart, J. S., 967
Stigmina carpophila, spore germination, chemical effect, 1330
Stipes, J., 1322
Stipes, R. J., 623, 624, 627, 628
Stobbs, L. W., 492
Stockwell, V., 1278
Stojanovic, B. J., 264
Story, R. N., 1362
Stowell, L. J., 1319
Strand, C., 499
Strausbaugh, C. A., 1296
Strauss, L. A., 1338
Strawberry
—frost injury, ice nucleation strains for control, 1343
—leather rot of: fruit, temperature and wetness duration effect, 165, 700
—Phytophthora fruit rot, splash dispersal, 611
—*Pseudomonas* on blossoms of, strains, 1361
Streptomyces scabies
—on potato, relative resistance, 1362
—on radish, etiology and control, irrigation, 568, (570)
Stromberg, E. L., 629
Stroo, H. F., 94
Stroshine, R., 1137
Stuteville, D. L., 119, 717
Stutz, J. C., 920
Stylosanthes capitata, anthracnose of, in Brazil, 1317
Subbuswamy, B. M., 1278
Subirós, J. F., 1179
Subterranean clover red leaf virus, temperature effects, 337
Sugar beet
—antibiotic extract, inhibitor, 1377
—*Corynebacterium sepedonicum* on, natural host, 1379
—*Pythium ultimum* on, seed priming for control, 1333
—*Rhizoctonia* damping-off, biocontrol agents for, 812
—Rhizoctonia root rot of, control with fungicides, 1308
—rhizomania disease, viruses involved, 1312
Sugarcane
—leaf scald, toxin and chlorosis, 1313
—ratoon stunting of: *Clavibacter xyli* relation, 1288; enumeration techniques for bacteria, 1226; resistance and water conduction, 1176
—smut, assessment and progress, 1280
Sugarcane mosaic virus, spot hybridization assay, 1353
Sugar, D., 1285
Sullivan, D. A., 1380
Sullivan, L. M., 1384
Sullivan, M. L., 264
Sumner, D. R., 1332
Sunflower
—Alternaria blight, epidemiology and yield losses, 1151
—downy mildew, new race, 1339
—phytoalexins induced in, by fungi, 1336
—powdery mildew of, chemical control, 1346
—*Sclerotinia sclerotiorum* inoculum preparation, 1333
—seed quality affected by heat damage and fungi, 142
Supkoff, D. M., 1328
Suppressive soil (see also Biological control)
—container media, municipal sludge and *Rhizoctonia* and *Pythium*, 1344
—*Phytophthora capsici* on tomato, 683
—*Pseudomonas solanacearum*, matric potential effect, 1182
—solarization effect, 1291
Surber, E., 1084, 1091
Suslow, K. G., 1351
Suslow, T. V., 1343, 1360
Sutton, T. B., 783, 1342
Suzuki, K., 1339
Swallow, W. H., 882
Swanson, J., 1354
Sweet potato feathery mottle virus, morning glory reservoir, 499
Sweigard, J. A., 1319
Sycamore
—anthracnose of, factors, 1368
—fastidious, xylem-inhabiting bacteria, pathogenicity, 1294
Synchytrium endobioticum, on potato, severity and stress relation, 817
Sypolt, C. R., 629
Sztejnberg, A., 1301

Tachibana, H., 1295
Tainter, F. H., 1367, 1368
Tajani, M., 1299
Takemoto, J. Y., 1381
Tal, B., 1336
Talaromyces flavus
—biocontrol agent, alginate-clay matrix for encapsulation, 774
—mycoparasite of *Sclerotinia*, 1328
Tamaki, S., 1326
Tan, C. S., 840, 1281
Tang, A. Y., 1364
Tanis, S. P., 1313
Tanner, C. B., 1321
Taplin, G. N., 499
Taylor, R. J., 1379, 1380
Taylor, S., 1312
Teaching, developing nations, USAID project, 1363
Tebbets, J. S., 615
TeBeest, D. O., 1361
Tedders, W. L., 801
Tejada, J. R., 1179
Templeton, G. E., 386
Teng, P. S., 1299, 1300, 1363, 1370, 1371
Tepper, C. S., 1372, 1374
Tewari, J. P., 1298, 1365, 1374, 1377
Thal, W. M., 504, 1342
Thaxton, P. M., 1344
Theobroma cacao, scion wood deterioration, 1278
Thermometry, infrared, root rot screening in bean using, 840
Thielaviopsis basicola, on tobacco, selective medium, 629
Thomas, C. E., 504, 1378
Thomas, C. S., 1322
Thomas, J. B., 1376
Thomas, P. E., 287
Thomas, S. H., 1304
Thomashow, M. F., 1376
Thomason, I. J., 1336
Thompson, C. E., 1363
Thompson, D. C., 828, 1362, 1422
Thompson, D. L., 1310
Thompson, S. D., 1278
Thomson, D. K., 1341
Thomson, S. V., 1379
Thornbury, D. W., 1324
Threadgell, E. D., 1332
Thyr, B. D., 1366
Tigchelaar, A., 1330
Tillage: corn anthracnose and residue effect, 1212; rye and soybean root pathogens, 1447
Tilletia spp.
—from bluegrass, species comparison, 1278
—teliospore germination: after animal ingestion, 1385; nuclear cycle, 1383

—teliospore sheath and exospore of, electron microscope study, 1339
T. caries, *T. controversa* distinguished from, 1278
T. indica
—interception at California-Mexico border, 1339
—isozyme analysis, India and Mexico comparison, 1309
—spore germination, matric and osmotic potential, temperature, and pH, 1297; 1428
—teliospore germination, seed treatment effect, 1331
Timian, R. G., 1292
Timmer, L. W., 1284, 1312
Tinline, R. D., 1316
Tisserat, N., 1384
Tobacco
—black shank, sporangium production and soil factors, 1435, 1439
—black shank and root knot nematodes, transplanting date and chemical treatment relation, 1346
—blue mold of, resistance: induced using callus, 1304; in Kentucky, 1341; systemic, technique, 1127, (1129); transmission, using tissue culture, 1222
—fungi colonizing roots of, patterns, 1289
—haploids resistant to viruses and nematodes in leaves, 1335
—hypersensitivity: to bacteria, 1270; cell wall fragments, 1372; tobacco mosaic virus, extract effect, 1291
—leaf spot, new in North Carolina, 1278
—pest management program, farmer use, North Carolina, 1284
Tobacco mosaic virus
—cDNA clones of, synthesis, 1334
—H protein of, analysis, 1356
—infection and UV irradiation, 1292
—replication, RNA products, 1334
Tobacco ringspot virus
—on holly, detection, 498
—satellite RNA, structure, 1334
Tobacco streak virus, strawberry necrotic shock strain of, DNA probes for detection, 1335
Tobacco vein mottling virus, potyviral polypeptides in protoplasts, proteolytic processing, 1335
Todd, T., 1384
Toler, R. W., 504, 1323, 1337, 1357
Tolin, S. A., 628, 629, 1311
Tolyposporium penicillariae, on pearl millet, pollination role, 504
Tomasino, S. F., 499, 1363
Tomato
—bacterial soft rot, morphological resistance, 1285
—bacterial speck of, predicting system for chemical application, 1319
—bacterial spot, symptomless transplants, 626
—*Cladosporium fulvum* on, elicitors, 695
—decline, in California, 1287
—isogenic lines, virus on somaclones, 1359
—*Meloidogyne* resistance, potential sources, 1336
—metalaxyl translocation in, 630
—*Phytophthora capsici* on: fosetyl-Al and phosphorous acid effect, 1064; suppressive soil for, 683
—*Phytophthora infestans* survival in seeds of, 375, *748*, (376)
—powdery mildew, sporulation measurement, 1370
—*Pseudomonas syringae* on, cutinase and pectic enzyme detection, 940
—root-knot nematode and fungal antagonists, 1344
—seed treatment with hydrated gel capsule, fungicide delivery, 1307
—southern blight of, tillage and chemical effects, 1362
Tomato bushy stunt virus
—satellite-like RNAs in, 1334
—symptoms of, RNA and temperature effect, 361, (364)
Tomato ringspot virus
—antisera of, spurious reactions with ELISA, 325
—apple union necrosis and decline association, 342
—biological and serological comparison in isolates, 1293
—on *Euonymus*, chlorotic ringspot disease caused by, 423, (425, 426)
—graft union histology in apple, 347, (348-350)
Tomato spotted wilt virus
—on *Anemone*, lethal, 1359
—plastic film mulch effect, 500
—reservoir, insect vector, Hawaii, 1287
—western flower thrips relation, 1362
Tomato vein-yellowing virus, serological properties, in Morocco, 109, (110, 111, 113)
Tomato yellow top virus, host range, symptoms, transmission, and variability, 287, (288, 289)
Tooley, P. W., 982, 1309, 1310, 1319
Toussoun, T. A., 322, 741
Toxins (see also Mycotoxin, Phytotoxin)
—phaseolotoxin, *Pseudomonas syringae* source, gene analysis, 1355
Trapero-Casas, A., 1146
Travis, J. W., 623, 783
Traylor, E. A., 1314
Treeful, L. M., 967
Trees
—bark wound response of 10 species, periderm formation, 1191
—ring analysis, growth response and environmental stress, 627
Trees, S. C., 1359
Tremaine, J. H., 467, 1208
Trese, A. T., 967
Trevathan, L. E., 1369
Tribe, G. D., 1338
Trichoderma spp.
—biocontrol agent: for *Rhizoctonia*, 560; for *Rhizoctonia* damping-off, 812; in soil and rhizosphere, 729
—conidia of, protoplast preparation, 1327
—plant growth effect, 1302
—in propagation media, bedding plants, 1302
—*Sclerotium rolfsii* interaction, lectins for recognition, 458, (459)
T. hamatum, propagule formation, atmosphere effect, 1297
T. harzianum
—charcoal antagonist on soybean, 499
—rhizosphere competence in, induction, 1302
—saprophytic development in soil, 1302
—in soil, microsite analysis, 1333
T. repens, virus disease and decline, in Mississippi, 1359
T. viride
—biocontrol agent, alginate-clay matrix for encapsulation, 774
—population dynamics of, 115
Trione, E. J., 1278
Trolinger, J. C., 1305
Trotter, K. J., 1289
Troxclair, N. N., Jr., 1284
Tsai, C. Y., 1313
Tsai, J. H., 852, 1292, 1324, 1358
Tsao, P. H., 1315
Tsror, L., 1303, 1365
Tsuchizaki, T., 894
Tu, J. C., 840, 1281
Tucker, D. H., Jr., 1369
Tugwell, N. P., 1340
Tuite, J., 965, 1137
Turfgrass
—bacterial wilt, occurrence, 1289
—non-choke-inducing endophytes of, 1331
—patch disease of, fungi and factors, 1160
Turnip crinkle virus, capsid protein gene, fine structure, 1334
Tuttle, M. A., 342, 347
Tuzun, S., 1127, 1304
Tylenchorhynchus claytoni, population density and soil factors, 247
Tylka, G. L., 629
Tyson, G. E., 264
Tzeng, K. C., 1379

Uchida, J. Y., 1307, 1316, 1363, 1366, 1375, 1382
Uchytil, T. F., 1373
Ultrastructure (see also Electron microscopy)
—maize stripe virus, inclusion types, 84, (85-88)
Uncinula necator, on grape: leaf maturity and cultivar resistance, 318; primary inoculum source, 1342
Upper, C. D., 505, 1321
Uromyces appendiculatus
—on bean: extracellular protein association, 1073, *1468*; race-nonspecific resistance, leaf character, 478; temperature and relative humidity effect, 1176; virulence and pustule size, 966; virulence changes, 449
—extracellular protein association, 1373
U. phaseoli
—on bean: disease gradient, 930; extracellular protein association, 1073, *1468*; inoculation method, 1176; urediniospore escape in canopy, 1232
—disease gradient and disease progress rates, 1280
—pathogenic variation, resistance in Dominican Republic, 1179
—spore mortality, ultraviolet effect, 510
Ustilago hordei, genetics and fungicide resistance, 1375
U. maydis, mitochondrial function, ergosterol deficiency, 629
U. nuda, on barley, seedling infection, 965
U. scitaminea, on sugarcane, yield effect, 1299
Usugi, T., 894
Utkhede, R. S., 1354
Uyemoto, J. K., 1277

Vakili, N. G., 1201
Vali, R., 1284
Valverde, R. A., 395, 1287, 1357
Van Alfen, N. K., 1324, 1379
van Bruggen, A. H. C., 1318, 1329
Vanderplank, J. E., 1079
van der Zwet, T., 94, 626, 629, 1281, 1316
Van Maren, A. F., 1287
Vann, S. R., 504, 1337
Van Pelt, N., 1292
Van Scoyoc, S. W., 629
Vargas, E., 1175, 1179, 1180
Vargas, J. M., Jr., 1286, 1289
Vargas, R., 1179
Varner, V. K., 1292
Vartanian, V. G., 375
Vaughan, D. A., 1331
Venette, J. R., 963, 1377, 1385
Venturia inaequalis
—ascospores of, maturation of, forecasting, 381
—benomyl resistance: 626; of populations, fitness and diversity, 1280
—geotropism, negative, 856, (857)
—sterol-inhibiting fungicides for, sensitivity, 1098
Vera Cruz, C. M., 1316
Verma, P. R., 1363

Verticicladiella procera
—on pine: colonization pattern, 625; symptoms, 1368
—propagule germination, disease effect, 1337
—soilborne propagules, root relations, 627
V. wageneri, on Douglas-fir, root insect association, 399
Verticillium albo-atrum
—on alfalfa: pollen infected by, 859, (860-864); seed contamination, 482, (483-487)
—survival of, in insect feces, 206
V. dahliae
—metham-sodium effect, soil factors, 403
—peptides from, phytotoxicity, 1303
—on pistachio, potassium nutrition, 1091
—on potato: field mapping, 1365; nematode interaction, 68; nematode relation, early dying, 412, (413); nematode species interaction, 419; soil inoculation density, 1279
—propagule germination, methionine effect, 1348
—sclerotial viability, *Talaromyces* effect, 625
—on solanaceous vegetables, Treflan effect, 1348
—on tomato, histopathology, 1361
Vesonder, R. F., 1378
Vidaver, A. K., 1360, 1378
Vigna spp., cucumber mosaic virus on, host role and variants, 751, (752)
Villalobos, F., 1180
Villalon, B., 1310
Viruses (see also specific viruses)
—antibodies from hen eggs, dependent transmission by aphids, 914
—ELISA, simplified, rapid sample analysis, 492
—haemagglutination assay for detection, method, 1353
—immunoreagents, differential removal, ELISA complexes, 1352
—luteoviruses, ELISA detection of relations, 1353
—monoclonal antibodies for PVY isolates, ELISA use, 1353
—potyviruses: detection with cloned DNA, 1353; inclusion proteins in, detection with antisera, 1353; monoclonal antibody reaction, detection, 1353
—rod shaped, effect on RNA from infected plants, 1357
—serological detection, carnation etched ring virus, 778
—strain identification by peptide mapping, 661
—transmission: beetle regurgitant effect, 502; in plants, ribonuclease in beetle regugitant, 1324
—viral induced nucleotide binding proteins, photoaffinity labeling, 1335
—virus infected plants, spatial relation, quantification, 1359
Viveiros, D. M., 654

Wachtel, M. F., 1252
Wagoner, W., 1308
Wakeman, R. J., 1348
Walker, A. K., 542
Walker, H. L., 183
Walkinshaw, C. H., 1293, 1366
Wall, G. C., 1341
Walla, J. A., 1367
Wallin, J. R., 1282
Walnut
—black, micropropagation, 966
—English: cherry leafroll virus of, detection, 48; *Phytophthora* spp. on, flooding duration effect, 973, (974); *Phytophthora citricola* on, seasonal effect, 970; Phytophthora root and crown rot cause, 977, (978, 979)
Walter, J. C., 629
Walter, M. H., 1323
Wang, A., 1180
Wang, W.-Y., 1352
Ward, E. W. B., 371
Ward, L. J., 1320
Warren, G. J., 1325, 1343
Warren, H. L., 1313
Waterfield, W. F., 629
Waterhouse, P. M., 337
Waterhyacinth, biocontrol, *Cercospora* for, 1263
Watermelon
—disease resistance, breeding for, 1178
—Fusarium wilt of: differential cross protection, 1304; monoculture promotes suppressiveness, 1343
—resistance and peroxidase isozyme association, 1374
Watermelon mosaic virus 1, on muskmelon, aphid transmission, 890
Watermelon mosaic virus 2
—epidemiology and aphid resistance, 1349
—on muskmelon, resistance to, 201
Water potential
—amoebae, activity affected by, 243
—*Fusarium oxysporum* growth, on media and in soil, 53, (54)
—*Phomopsis* on soybean seed, 1236
—*Sclerotinia minor* sclerotia survival affected by, 217
Watson, B., 499
Watson, G. R., 1337
Watterson, J. C., 1359
Weathers, L. G., 1355
Weathers, L. W., 1359
Weaver, D. B., 1176, 1180, 1305
Webb, R., 1363
Webb, R. E., 625
Webster, R. K., 875, 1340, 1373, 1383
Weidemann, G. J., 1340, 1361
Weingartner, D. P., 1178
Weinhold, A. R., 1327
Weller, D. M., 1301, 1333
Wells, H. D., 498, 504
Wells, J. M., 1288
Welty, R. E., 593, 1331
Wene, E. G., 962, 967
Wenner, N. G., 630
Wernsman, E. A., 1335
Westcott, S. W., III, 1290
Whalon, M. E., 1350
Wheat
—black point of, resistance and screening technique, 1376
—common root rot of: resistance, 1316; sterol-inhibiting fungicides, 1384
—foliar diseases in Louisiana, yield effect, 1371
—fungus population in roots, 1364
—*Fusarium* scab, in Washington, 1296
—growth enhanced by acids, 1277
—karnal bunt, spore germination, 1428
—leaf and stem rust of, isozyme and virulence diversity, 907
—leaf rust of: adult plant resistance inheritance, 1317; epidemiology in Morocco, 1341; gene *Lr2c*, 573, *1078*; inheritance resistance in Pacific Northwest, 1317; slow rusting resistance, 636, 643; yield effect, 1299
—leaf spot diseases, stubble height relation, 1295
—leaf spots and mildews of, triadimenol seed treatment, 1295
—microflora associated with, in Texas, 1385
—monocultures and mixtures, disease competition effect, 1371
—powdery mildew and Septoria blotch, crop management, 538
—*Pratylenchus* and *Fusarium* interaction, 1305
—Pythium root rot of, comparative pathogenicity of species, 821
—*Pythium ultimum* on, biocontrol agents for, 1301
—root and crown rot, freezing injury interaction, 845
—root rot, winter survival and yield, 1039
—rust, spectral radiometer monitoring, 936
—scab in Idaho, barley comparison, 1332
—seeds of, *Xanthomonas campestris* on, isolation medium, 260, (261, 262)
—Septoria leaf spot and leaf rust on, suppressed by pseudomonads, 1300
—Septoria tritici blotch of: 1245; virulence genes, 1463
—*Septoria tritici* of: chemical desiccation effect, 226; virulence frequency, 1456
—strawbreaker, incidence in Kansas, 967
—stripe and leaf rust control, seed treatment and foliar spray, 1383
—stripe rust of: resistance, temperature effect, 1121; resistance factors, 1317
—take-all of: inoculum relations, 98; irrigation, Colorado, 1296; pseudomonads antagonistic to, motility effect, 1344; suppression by pseudomonads, 1301; suppressive soil effect, infection, 557; tillage and doublecropping effect, 1291
—tan spot of, host response, 686
Wheat soilborne mosaic virus: detection using ELISA and dot-immunobinding assay, 1358; visual assessment and ELISA for evaluation, 964
Wheat spindle streak mosaic virus: characterization, 964; occurrence in Georgia, 1350; purification and characterization, 1349
Wheat spot mosaic, dsRNA analysis, electron microscopy, 1357
Wheat streak mosaic virus
—DNA cloning, 964
—ELISA for, detection, 503
—monoclonal antibodies, production of, 1358
—scroll association, 1358
—ultrastructure of infected cells, 1350
Wheeler, M. H., 1384
Whitam, H. K., 498
White, D. G., 1195, 1346
White, J. A., 963, 966, 967
Whitney, N. G., 1365
Wick, R. L., 1306
Widstrom, N. W., 1282
Wiese, K., 1331
Wilcox, J. R., 797
Wilcox, W. F., 221, 648, 1347, 1451
Wilcoxson, R. D., 964, 965, 967, 1198, 1365
Wilhelm, S., 876
Wili, G. M., 380
Wilkinson, H. T., 98, 557
Wilkinson, R. E., 1032
Willey, R. L., 624
Williams, G. R., 1354
Williams, N. D., 1317
Williams, R. J., 1383
Williford, R. E., 1331
Willis, D. K., 1320, 1355
Willis, W. G., 967
Wills, W. H., 630
Wilson, C. L., 1285
Wilson, D. M., 1282
Windels, C. E., 964
Windham, A. S., 504
Windham, M. T., 305, 310, 1302, 1326, 1333
Windom, G. E., 1285
Wingfield, M. J., 1293, 1338
Winner, W. E., 626, 627
Witcosky, J. J., 399
Wofford, D. S., 845
Wolber, P., 1325
Wolpert, T. J., 1302, 1303
Wood decay fungi: fluorescent-labeled lectins for visualization, 329, (330, 331); fumigant effect, 588
Wood decomposition, white rot basidiomycetes, degradation patterns, 1323

Wooding, B., 510
Woodward, W. A., 1379
Wootke, S. L., 1340, 1364
Worf, G. L., 967
Worrall, J. J., 1297
Worrall, W. D., 1384
Wound tumor virus, monoclonal antibody production, leafhopper cell extract, 1356
Wozniak, C. A., 1371
Wright, J. C., 967
Wu, C. H., 1313
Wu, F. C., 1292
Wu, K. K., 1383
Wu, X., 1357
Wyatt, S. D., 1310
Wyllie, T. D., 966, 967, 1316, 1348
Wynne, J. C., 1336

Xanthomonas spp., monoclonal antibodies in, delineation, 722
X. campestris
—on apple, unusual strain, 438, (439, 440, 442, 443)
—assay method for, 1331
—bacteriocin produced by, 1280
—on beans: resistance evaluation, 1032, (1034, 1035); lesion development, HF exposure, 1352
—biocontrol with pruniphaoe, production, 1328
—on cabbage: resistance and protection by co-inoculation, 1377; strains and symptoms, 1382
—carboxylic acids from, pathogen involvement, 1280
—on citrus, indigenous plasmids, 524
—cloned DNA fragments for identification, 1321
—on cotton, growth, 515
—cytopathology of, in Florida and Mexico, 1373
—hydrophobicity and charge, 1414
—in infected debris, in California, 1280
—membrane characterization, 581, (583)
—metabolic marker, galactosidase, 1326
—pathovar differentiation, plasmid DNA use, 1320
—on peach: detached-leaf bioassay, 1060, (1061); pathogenicity on detached leaves, 1381
—plasmid DNA variants of, in Florida epidemic, 1320
—on rice, virulence in Philippines, 1316
—on roots, antagonism to, 254
—selective medium for, 1360
—strain detection with monoclonal antibodies, 1352
—on soybean, ultrastructure, 733, (735-739)
—on tomato: hypersensitivity, 1281; susceptibility patterns, 1362
—on wheat seeds: seed treatments for, 1385; selective medium for isolation, 260, (261, 262)
Xiong, Z., 1334
Xu, G. W., 1325
Xu, Z., 1335

Yahata, P. S., 1363, 1366
Yahyaoui, C. M., 936
Yang, S., 1365
Yao, S. K., 1356
Yarden, O., 763
Yoder, K. S., 628
Yogev, A., 1291
Yokomi, R. K., 1311
Yonce, C., 1381
Yoshimura, M. A., 1307
Young, C. S., 1343
Young, D. J., 1384
Young, L. D., 504
Young, N., 1334
Young, R. J., 630
Yuen, G. Y. K., 1382

Zagory, D., 1443
Zaitlin, M., 1334, 1356
Zajicek, J. M., 1284
Zaki, A. I., 865
Zambino, P. J., 962
Zapata, M., 1032
Zaske, S. K., 1354, 1359
Zee, F., 1323
Zehr, E. I., 504
Zeidan, M., 1332
Zeiders, K. E., 1340
Zentmyer, G. A., 253
Zeringue, H. J., Jr., 1374
Zettler, F. W., 1180
Zeyen, R. J., 1181
Zhang, L., 1381
Ziegle, J. S., 1343
Zilberstein, M., 226
Zipf, A., 1293
Ziv, O., 1384
Zoquier, L., 630
Zoysiagrass, diseases of, in Orient, 1286
Zuber, M. S., 1282
Zucchini yellow mosaic virus, on muskmelon, aphid transmission, 890
Zuidema, D., 1335
Zummo, N., 1330
Zurowski, C. L., 1289